analyze	aware	anatomy	component	comprehensive
assess	adapt	admission	cue	correspond
area	aggression	advocate	communicate	considerable
affect	adverse	alleviate	contribute	colleague
adolescent	abdomen	appreciate	consume	chemotherapy
approach	assign	analogue	contact	constipation
appropriate	assume	ascertain	complex	cite
available	attach	attenuate	cognition	chart
assist	aid	benefit	consequent	compress
adjust	apparent	baseline	context	compute
adult	autonomy	barrier	concept	covariate
alternative	assure	breast-feed	centimeter	coordinate
attribute	academy	bias	cervix	comprise
anesthesia	activate	brief	culture	constant
access	acknowledge	burden	contrast	commence
acute	allocate	bacteria	consult	cluster
attitude	anticipate	clinic	catheter	conflict
antibiotic	annual	cancer	cohort	campaign
analgesia	appraise	consist	confirm	core
abuse	acquire	conduct	capacity	collaborate
administer	acid	community	create	congruence
approximate	alert	criteria	challenge	clarify
adequate	alcohol	chronic	counsel	concentrate
achieve	audit	conclude	competence	constitute
artery	absorb	correlate	coronary	convene
author	angina	category	construct	capture
administrate	aspirate	caregiver	cell	capable
aspect	ambulate	client	cannula	confound
adhere	abstract	cope	checklist	consecutive
alter	addict	consent	comment	circumstance
accurate	auditory	compliance	cycle	county

couple	dense	expose	expand	gender
concurrent	deficit	enroll	exceed	grade
compensate	deviate	eligible	exhibit	goal
confidential	derive	emergency	electron	generate
caucasian	display	ethic	endure	globe
certificate	disrupt	ensure	evolve	glucose
contaminate	diverse	ethnic	factor	graduate
data	decade	emphasis	focus	geography
demonstrate	diminish	emerge	furthermore	hospice
design	drain	energy	function	hypothesis
discharge	disclose	enable	facilitate	hip
diagnose	discrepancy	elevate	fatigue	headache
depress	deteriorate	error	figure	highlight
dose	distinct	element	final	household
define	development	engage	follow-up	hypertension
diabetes	designate	encounter	fracture	hormone
drug	dynamic	equip	fluid	hence
distress	discriminate	extract	finance	heterogeneous
demographic	definite	extubate	feedback	intervene
document	drama	eliminate	facet	indicate
detect	digit	episode	formula	identify
despite	evaluate	epidemic	fund	individual
diet	evident	external	framework	item
dimension	emotion	elicit	feasible	infant
donate	exclude	economy	feature	interview
disorder	enhance	explicit	faculty	investigate
distribute	efficacy	equate	foundation	impact
duration	establish	empower	flexible	issue
diary	expert	exhaust	format	income
decline	estimate	exert	frustrate	intravenous
domain	environment	equivalent	guideline	internal

intense	infuse	modify	outcome	pilot
inflect	insert	marital	occur	peripheral
initial	invasive	mechanism	obtain	primary
intake	intermittent	millimeter	overall	percent
interact	journal	maximize	oral	physician
index	job	mobile	option	prior
implement	kilogram	malignant	objective	phase
institute	locate	metabolic	occupy	psychology
impair	lateral	manipulate	optimal	project
interpret	lesion	motive	odd	prevalent
injure	laboratory	mediate	obese	policy
initiate	link	manual	ongoing	partner
injection	linear	mood	onset	prescribe
implicate	lifestyle	minimal	oncology	publish
immune	longitudinal	medication	oxygen	placebo
induce	literate	minimum	orient	proportion
incidence	logistic	minimize	obvious	physiology
instruct	label	membrane	obstruct	practitioner
interval	method	magnitude	outpatient	prostate
incorporate	medical	modulate	participate	protocol
illustrate	major	margin	perceive	pulmonary
isolate	minor	mandate	process	perspective
image	milliliter	normal	physical	phenomenon
inventory	morbid	negate	proceed	priority
irritate	mortality	nutrition	previous	profile
inflame	muscle	nausea	period	parameter
inhibit	mental	nerve	professional	peak
input	milligram	norm	positive	placement
integrate	midwife	neurology	potential	persist
insight	monitor	network	predict	pharmacology
instance	maintain	nevertheless	pregnant	pediatric

prospect	respond	resolve	survive	scan
peer	research	retain	structure	somewhat
prolong	require	release	session	spontaneous
pathology	role	regimen	summary	sum
protein	ratio	reinforce	shift	system
predominant	random	relax	subsequent	software
preliminary	recipient	replicate	sufficient	senior
personnel	range	refine	setting	sequence
pathways	reside	reverse	source	spectrum
plus	rely	recall	spinal	self-esteem
precede	rehabilitation	rationale	stable	specify
principle	relevant	rigor	spouse	staff
panel	recruit	receptor	subjective	strengths
principal	referral	reject	sedation	scope
pill	renal	significant	supplement	therapy
publication	remove	score	standardize	transplant
progression	regress	symptom	stigma	technique
pulse	reveal	surgery	schedule	tradition
posture	region	similar	sensation	theory
premature	respiratory	specific	section	team
passive	routine	status	syndrome	target
precise	recover	stress	suppress	theme
philosophy	resource	strategy	serum	task
province	restrict	statistic	supervise	threshold
prognosis	retrospect	survey	sterile	tissue
portion	register	subscale	strain	tolerate
probe	regulate	select	secure	trauma
questionnaire	rotate	site	specialize	trend
qualitative	revise	stimulate	series	topic
quantitative	rural	seek	sustain	transit
quit	radiate	sex	suction	tumor

transcribe visual

tense valid

toxic volume

transmit vascular

timing via

terminate visible

treat vital

tape verify

tract vaccine

trigger vehicle

technical ventilate

technology vomit

transport vulnerable

thorax vein

temporal victim

thereby whereas

undertake ward

urine well-being

undergo withdraw

utilize workload

ulcer

unique

ultrasound

urban

ultimate

underlie

urgent

voluntary

vary

verbal

version