OJO The Oregon Journal of Orthopaedics

Volume IX June 2020



OHSU

FiberStitch[™]

All-Inside Meniscus Repair With Soft Suture Anchors

Ergonomic handpiece with a simplified, single-handed implant deployment wheel

The FiberStitch[®] device offers a soft anchor fixation option for all-inside meniscus repair implants. Secure the low-profile implants with 2-0 FiberWire[®] suture and a locking knot in the anchors, eliminating a knot on the articular surface.

Low-profile needle delivers an all-suture anchor through a small perforation in the meniscus



Integrated depth stop adjustable from 10 mm to 18 mm



Advance the needle through the meniscus until the desired depth is reached and deploy the implants.



Pull on the loop to set the implants and tension the repair, then pull on the single tail to finalize fixation.



Advance the knot pusher towards the meniscus while maintaining tension on the suture to complete the repair.



Table of Contents

Letter from the Editors
Letter from the OHSU Chairman
Letter from the OHSU Program Director
Letter from the Good Samaritan Program Director
Faculty Directory 2019-2020.5• OHSU.5• Portland VA Medical Center7• Shriners Hospital for Children7• Legacy Emanuel Hospital8• Kaiser Permanente, Pediatrics8• Orthopedic + Fracture Specialists9• Program Fellowships 2019-202010• Celebration of Dr. Yoo10
Featured Articles11• New Faculty Spotlight: A Q&A session with Lara Atwater, MD11• Oregon Shoulder Fellowship12• Innovation Meets Altruism14• The John and Susan Hayhurst Distinguished Scholar16• National VA Database Driven Clinical Research – Annual Report Update18• Orthopaedic Surgery Interest Group (OSIG)19• Talking Innovation with Dr. Steven Madey21
Research Publications
Resident Directory 2019-2020.27• OHSU Chief Residents and Senior Projects27• Samaritan Health Services Chief Residents and Senior Projects33• OHSU Residents (PGY-4 to PGY-1)38• Samaritan Health Services Orthopaedic Surgery Residents (PGY-4 to PGY-1)40
Alumni Updates
Visiting Lectureships. 51 • OHSU Beals Lectureship 51 • Shriners Hospital for Children - Beattie Lecture Series 52 • Shriners Hospital for Children - Dillehunt Memorial Lecture 53
Resident and Teaching Awards
OHSU Orthopaedic Program Alumni Directory
In Memoriam: John Tongue, M.D. R '74 (1946-2019)
Special Thanks and Comments

Letter from the Editors

Welcome to the ninth volume of *The Oregon Journal of Orthopaedics*. We want to thank our faculty, residents, alumni and all of our supporters for their contributions.

In this edition we chose to highlight innovations within orthopaedics in the state of Oregon. This will include a look at a new shoulder fellowship with Dr Denard, the innovation within SIGN Fracture Care International, the exciting new grant obtained by Dr Brady for simulation training and the work occurring under Dr Madey and Dr Bottlang in their lab.

OHSU is also privileged to welcome a new faculty member, Dr Lara Atwater, to the Department of Orthopaedics & Rehabilitation.

In the research field, we highlight the year's publications. We will also highlight the senior projects completed by the residents at OHSU and Samaritan Health Services.

Finally, we will have an opportunity to catch up with prior graduates from OHSU Department of Orthopaedics and Rehabilitation to see where life has taken them.

Faculty Editor: Darin Friess, MD Senior Editors: Erik Woelber, MD and Trevor Barronian, MD Junior Editors: Loren Black MD, Elliott Cole, MD and Connor Pihl, MD Editors Emeriti: Jason Laurita, MD, Nikolas Baksh, MD and David Putnam, MD

Letter from the OHSU Chairman



As a philosophy student in college, I fell in love with existential writer Camus and tried to read everything he had ever written. I am not sure, but I think I succeeded. Like so many great writers, his words transcend his period and speak of universal truth. In this time of the pandemic crisis brought by COVID-19, one cannot help but draw a comparison between Camus' mid-20th century novel Plague, its fictional city of Oran, and America today.

In Plague, the devastation creeps upon the population whose lives are preoccupied with banality and commercialism. The horror that follows is unimaginable to most

because cruel, random, meaningless death was always kept at a distance from ordinary life. Camus uses the plague to depict the stark realism of absurdity and fragility in human life that we were happy to ignore, exposed starkly in the unimaginable magnitude and immediacy of dying in a plague. The inhabitants react to the situation initially with wishful belief, 'It won't last, it's too stupid.' When I read his words, 'A pestilence does not have human dimensions, so people tell themselves that it is unreal, that it is a bad dream which will end', it reminds me of Dr Fauci's words today. Yes, the disease does not have human understanding or meaning, it only has its own nature that our wishful thinking cannot defeat.

However, Camus is not a pessimist. In his view, man can find his own meaning and purpose by carrying out his role in human community with neither hope nor despair. It is the man portrayed in his essay of Sysphus, 'La lutte elle-même vers les sommets suffit à remplir un cœur d'homme. Il faut imaginer Sisyphe heureux.' His man is not a hero, but just a protagonist in his own life. A man whose victory is not the achievement but the work itself. His Sysphus in Plague is Dr. Rieux. He is a human, ordinary in his flaws, but capable of owning his meaning through the amelioration of suffering in his fellow men. In these trying times, we show up, do our work, and be whatever we can to provide help to our fellow men. We will never get that rock over the summit, but we can imagine ourselves happy.

This is my last year as the chair of this department. In my job, I never expected to roll the the rock over the summit and there will be much work still left to be done. But like Camus' Sysphus, I am happy. I was blessed that I was not alone like Sysphus. I had so many of you next to me pushing the rock with me. I hold each of you dearly in my heart. To borrow Shakespeare, 'We few, we happy few, we band of brothers...' and sisters. Thank you for a wonderful sixteen years.

Sincerely, Jung Yoo, MD Chair and Professor, OHSU Department of Orthopaedics & Rehabilitation



My painting of Sysphus with Camus' words (oil on canvas, 36 in/36 in) I wanted to show not a weak man, but a powerful man, and a rock that is impossible to push. The color and shade of the man and the rock are the same, as a man is indistinguishable to his work.

Letter from the OHSU Program Director



When I was a worried medical student one of the most useful pieces of advice I ever received was that no matter what specialty, what location, what payment, or what business troubles I received, these issues would all seem so much less important than the relationship with my patients. This advice has steered my career and I continue to share it with students and residents following in my footsteps. The advice always leads me to a true path when treating patients, but seemed in my mind to relate mostly to the business aspects of medicine. As the COVID pandemic shut everything down, I realized this advice could mean so much more.

Fortunately, at OHSU we were not faced with ventilator shortages or Orthopedic residents running an ICU code, but we were all faced with small ethical decisions. We came to realize how difficult and scary it was for early patients to have to wait with fractured extremities for a COVID test result. We learned how debilitating a 2-4 month delay in arthritis or arthroscopic surgery can affect the pain and suffering for patients. As much as early conversations centered around provider safety and later conversations around difficult budgets, clearly the most difficult conversations were with patients struggling through the pandemic and how it affected their individual care. Turning routine postop visits to phone or virtual visits has changed the structure of the conversation, but the core relationship with patients remains the center of what we do as physicians. So I work to give that same advice to the students and residents again.

As a residency program, we made early changes to ensure that no residents were changing hospitals, to lessen the possibility of coronavirus exposure. We split the large cohort of OHSU residents into two teams, each working one week in the hospital and one week at home. Neither team had in-person contact with the other team for weeks at a time. All conferences moved to virtual platforms, which has provided some new opportunities and exciting learning structures. Despite the difficulties grade-school students may face through on-line school, our highly motivated orthopedic students and residents excelled in these new electronic formats (and dragged some faculty kicking and screaming into the electronic age). Residents and faculty have submitted record numbers of abstracts and papers as we finally had time to focus on research. Surgical case volumes for every resident are down, but we all get more time to prepare and debrief for each and every case. In short, education is different now, but no less valuable. I have full faith that our residents will leave their time at OHSU well prepared for a lifetime dealing with simple and complex patient issues. And I hope that during their weeks of fewer patient encounters, they might have also grown to miss those relationships as well.

The COVID pandemic has rightly helped us to stop, re-examine the old, and make changes going forward. Starting this July, Dr. Kenneth Gundle will be taking over as Residency Program Director. He has plans for an amazing social media strategy, so please look for us on not only Facebook where we've been, but also Twitter and Instagram. Nobody thinks my idea for 15-second Tlk-Tok surgical technique videos is wise, but maybe I just don't understand it yet. I'm still learning to use these new formats for education. I've already learned to use telemedicine for virtual visits, and am excited how this can enhance my patient care in the future.

Onward, Darin Friess, MD Residency Program Director

Good Samaritan Regional Medical Center Orthopedic Surgery Residency Program Letter from the Program Director



Greetings from Corvallis. First and foremost, we achieved initial ACGME accreditation in September! That means we have a site visit sometime in the next year or so, then we're set. It also means that this year's PGY1s will be our first class eligible to take their board exam with either the AOAO or the ABOS. I could not have done this without the assistance of Kelli Olson, our previous program coordinator, the GME Operations Manager, Sam Bartholomew, all of our residents, and the outstanding faculty at Good Samaritan Regional Medical Center, Albany General Hospital, Randall Children's Hospital, Legacy Emanuel, and OHSU. We all owe a debt of gratitude to Dr. Luis Vela for his vision and perseverance in

establishing the Orthopaedic Residency here at Good Sam.

Now that my Oscar acceptance speech is complete, let's talk about what's happening at the program. All three graduating chiefs have matched into the fellowships of their choice. They will be scattered throughout the US for programs in Pediatric Orthopaedics, Orthopaedic Traumatology, and Adult Reconstruction. We wish them all the best, and I'll miss the latest chicks to leave the nest.

Heavy on my mind is residency selection for the 2021-22 year. We will be going from the manageable pool of purely osteopathic candidates to what I hear might be greater than 400 candidates from the osteopathic and allopathic pools. Interviews will definitely be drastically different, and I am seeking out advice from my friends and colleagues at established programs like OHSU. I actually enjoy reading candidate's personal statements. Some are quite entertaining. As I have told our faculty, failure to run a spell and grammar check seems to be an easy tool for the initial sorting of candidates. I recently read a commentary by Vinay Prasad, MD, MPH, entitled "Stopping the Med School 'Arms Race." I recommend you Google this up if you haven't read it. Dr. Prasad tells the story of a high school freshman who wrote asking to work with his health policy team. You read that right, high school freshman. He talks about the number of medical school/ residency candidates who have multiple publications, patents, and/or national presentations. Dr. Prasad ponders whether or not this has actually created better physicians. It's something I often think about, too. As I sort through the current applications, I find my age showing. I want to know if a candidate has worked at the sort of menial job you can obtain at age 16. While scoring well on a standardized test might give me some information about a candidate, I also know that some of the best residents I've worked with are not the best test takers. Between my first and second drafts of this, the USMLE decided to make Part I of the boards a simple pass/fail. I think(?) it's a good thing, but whether or not a score is assigned to the result, I'm left with a lot of questions. How do I know if a candidate has grit? How do I know if a candidate is mature and self-confident without being arrogant? Will the next five years with this person be filled with painful conversations about professionalism? Will the next five years be filled with intellectual stimulation on both sides that also includes fun and a personal connection? I guess time will tell how this all plays out. In the meantime, I'll do my best to find a way of disarming the selection process.

Sincerely, Jacque Krumrey, MD Residency Program Director Samaritan Health Services

Adult Reconstruction



Thomas Huff, MD



Ryland Kagan, MD



Kathryn Schabel, MD Medical Director, Comprehensive Joint Review Program



Lara Atwater, MD

Foot & Ankle



James Meeker, MD

Orthopaedic Oncology



Yee-Cheen Doung, MD Kenneth Gundle, MD Director, Clinical Operations





Director, Quality



James Hayden, MD, PhD Matthew Halsey, MD

Pediatrics



Scott Yang, MD

Physical Medicine & Rehabilitation



Hans Carlson, MD



Nels Carlson, MD Assistant Dean of Continuing Professional Development



Erik Ensrud, MD

Podiatry



Trish Ann Marie Otto, DPM

Research / Basic Science



Brian Johnstone, PhD Director, Research



Lynn Marshall, ScD Program Director, PhD in Epidemiology, OHSU-PSU School of Public Health



Jayme Hiratzka, MD



Spine

Clifford Lin, MD Fellowship Director, Spine

Trauma



Jung Yoo, MD Chairman

Sports Medicine (Surgical)



Jacqueline Brady, MD Associate Residency Program Director, John & Susan Hayhurst Distinguished Scholar in Orthopaedic Research and Innovation



Dennis Crawford, MD, Andrea Herzka, MD PhD

Director, Sports Medicine



Darin Friess, MD Director, Trauma & Residency Education, Vice-chairman



Zachary Working, MD

Upper Extremity



Adam Mirarchi, MD Director, Hand and Upper Extremity



Omar Nazir, MD



Robert Orfaly, MD, FRCS(C)

Portland VA Medical Center





Lucas Anissian, MD, PhD Mark Berkson, MD Section Chief for Orthopedic Surgery





Kenneth Gundle, MD Ryan Wallenberg, MD

Shriners Hospital for Children



Michael Aiona, MD



Jeremy Bauer, MD Director of Education



Chief of Staff



Robert Bernstein, MD Daniel Bouton, MD



Krister Freese, MD



Katie Fuchs, MD



Heather Kong, MD



J. Krajbich, MD, FRCS(C) D. Laron, MD





Ellen Raney, MD

OJO: The Oregon Journal of Orthopaedics



Dennis Roy, MD



Michael Sussman, MD Michelle Welborn, MD





Doug Beaman, MD Foot & Ankle



Britton Frome, MD Hand/Upper Extremity



Richard Gellman, MD Trauma



Craig Gillis, DO Hand/Upper Extremity



Steve Madey, MD Hand/Upper Extremity Site Director



Amer Mirza, MD Trauma/Adult Reconstruction



Corey Vande Zandschulp, MD Trauma

Kaiser Permanente, Pediatrics





Stephen Renwick, MD Ronald Turker, MD

Orthopedic + Fracture Specialists - Participating actively in resident education



Brett Andres, MD Sports Medicine/ Joint Replacement/ Trauma & Fracture



Hannah Aultman, MD Mac Beall, MD Upper Extremity/ Trauma & Fracture



Upper Extremity/ Pediatric Orthopaedics/ Trauma & Fracture



Brad Butler, MD Sports Medicine



James Davitt, MD Foot & Ankle/ Sports Medicine/ Trauma & Fracture



Alex DeHaan, MD Joint Replacement/ Trauma & Fracture



Alec Denes Jr, MD Joint Replacement/ Sports Medicine/ Trauma & Fracture



Paul Duwelius, MD Joint Replacement/ Trauma & Fracture



Jason Kurian, MD Sports Medicine/ Joint Replacement/ Trauma & Fracture



Mark Manoso, MD Spine/ Joint Replacement/ Trauma & Fracture



Hans Moller III, MD Trauma & Fracture



Rolf Sohlberg, MD Upper Extremity/ Pediatric Orthopaedics/ Trauma & Fracture



Richard Southgate, MD Joint Replacement/ Trauma & Fracture



Vanessa Stas, MD Joint Replacement/ Trauma & Fracture



Jeana Summers, DO Pediatric Orthopaedics/ Trauma & Fracture



Kimberly Workman, MD Foot & Ankle/ Joint Replacement/ Trauma & Fracture

Program Fellowships 2019-2020

Sports Medicine Primary Care Fellows









Spine Fellow Hand Fellow



Charles Craig Rudy, MD Jean Pierre Valette, MD Vikram Sampath, MD Sharon Monsivais, MD

In Celebration of Dr. Yoo's Tenure as Chairman of Orthopaedics and Rehabilitation, 2004 - 2020

By: Darin Friess, MD



The OHSU Department of Orthopaedics and Rehabilitation has a long list of names that have shaped the history of musculoskeletal care in Oregon. Many of those names you can read about elsewhere in these OJO pages,

such as Rodney Beals, Richard Dillehunt, and Leo Lucas. Jung Yoo has made a similar mark during his tenure as Department Chair. Since his Graduation from medical school at The University of Chicago, he started his role as a great clinician. During his residency at Case Western Reserve University he advanced skills as a prodigious researcher and innovator. During his tenure on the faculty at Case Western from 1991 to 2004 he developed as an

educator and leader. Jung Yoo has brought all these skills together as Department Chair at OHSU from 2004 - 2020 and has changed the face of musculoskeletal medicine. He developed a small department into a leading force at OHSU, fulfilling all the facets of a successful academic practice. The many lives he has touched to develop surgeons, educators, scientists, and genuine human beings is the legacy he leaves behind. There is no adequate method to provide gratitude for these life lessons other than to continue to do the work, be leaders, and simply take excellent care of each and every patient. While many of those he has touched would prefer a grand celebration at the conclusion of his tenure, as many of us know, Dr. Yoo prefers quieter pleasures and the joy of a job well done. Thank you Dr. Yoo for being the shepherd of this Department.

Featured Articles



New Faculty Spotlight: A Q&A session with Lara Atwater, MD

Bv: Ellliot Cole, MD

Hometown: Honolulu, Hawaii Medical School: Georgetown University, Washington, DC Residency: Johns Hopkins University, Baltimore, MD Fellowship: Institute for Foot and Ankle Reconstruction, Mercy Hospital, Baltimore, MD Favorite Restaurant in Portland: Tasty n Alder Go-to OR music? Kygo

Tell us a little about yourself.

I am married to my college sweetheart and we have an 11-month-old son. I grew up surfing and kayaking but I've yet to try it here in Oregon.

What brought you to OHSU?

I was looking for an academic job where I can teach and be involved with research. I was originally born in Hawaii but have lived/studied/trained on the East Coast since college. Oregon was completely different from both of these places and felt like a new adventure! I also felt that the department was filled with particularly kind and smart people – I was excited by the idea of becoming their colleague.

What made you choose foot and ankle as a specialty?

It's difficult and expansive - foot and ankle surgeons perform almost 500 different procedures. It's also a decade or two behind other subspecialties from a research perspective. I knew I would never get bored from a technical or intellectual standpoint.

Favorite thing about Portland/PNW so far?

Our favorite place in Portland so far is the Japanese Garden. We also love all the waterfalls and hikes!

What are some goals you have for your practice?

I'd like my practice to be busy and broad: arthroplasty, sports, trauma, deformity. Hopefully a nice mix of both simple and complex cases.

What is the biggest difference between practicing in Oregon and where you were trained?

When I ask people "what do you do", they tell me what they like to do on weekends, not what they do for a living. I love the paradigm shift.

Do you have any research interests or projects you're looking forward to pursuing?

I'm grateful that OHSU has a weight bearing CT scanner, the research possibilities are very exciting!



Oregon Shoulder Fellowship Receives American Shoulder and Elbow Surgeons (ASES) Recognition

By: Elliott Cole, MD and Patrick Denard, MD

For Dr. Patrick Denard, a commitment to strengthening the craft of orthopaedic surgery has been a foundational value since his time in residency. As a native Oregonian, he received his undergraduate degree from the University of Puget Sound before attending medical school at Dartmouth and eventually returning to Oregon to complete his orthopaedic residency at Oregon Health & Science University (OHSU). As a senior resident, he was known for guiding junior residents through difficult cases, and as a chief he received the Research Award, given annually to the graduating resident who most exemplifies a commitment to furthering orthopaedic knowledge. As part of OHSU Chairman Dr. Jung Yoo's first class of interns, the development of Denard's technical and teaching capabilities made such an impression on the faculty that he was asked to join the staff after graduating. Denard instead chose to go into private practice, and he eventually settled in Medford, Oregon.

Even as he built a thriving private practice at Southern Oregon Orthopedics, Denard has remained extremely active in the orthopeadic academic world. He has over 130 publications listed on PubMed and has authored multiple book chapters. He has also co-authored a textbook on arthroscopic shoulder surgery principals (The Cowboy's Companion: A Trail Guide for the Arthroscopic Shoulder Surgeon), and he continues to be invited to speak on a variety of shoulder related topics around the country.

While building his practice and pursuing his academic interests, Denard found himself drawn back to the mentorship and teaching experiences he had during his residency and fellowship training. Since residency, Denard has completed two fellowships: the first focusing on shoulder arthroscopy in San Antonio, Texas under the guidance of Dr. Stephen Burkhart and another program focusing on shoulder athroplasty under Dr. Gilles Welch in Lyon, France. Denard credits Dr. Burkhart with instilling in him the drive to be a productive researcher as well as showing him how to give feedback and motivate trainees.

These experiences paired with his commitment to continuing orthopaedic education are what led Denard to start the Oregon Shoulder Fellowship five years ago. "I've always been interested in education, continuing to learn, and participating in teaching the next generation of orthopedic surgeons. The process makes me better, makes the next generation better, and strengthens the craft", says Denard. His first fellow five years ago had already completed a fellowship but was looking for more shoulder training. That fellow spent six months training with Denard before going into practice, and Denard found the experience both personally and professionally rewarding.

Denard has spent the last five years building the fellowship program, and one of his main goals has been to have the program formally recognized by the American Shoulder and Elbow Surgeons (ASES). Although Shoulder and Elbow fellowships do not receive accreditation from the American Council on Graduate Medical Education (ACGME), they can receive formal recognition from the ASES. The recognition is a seal of approval from one of the preeminent bodies of shoulder and elbow surgeons, and the formal sanctioning can help attract high quality applicants to the program. After years of hard work, the fellowship recently received formal ASES recognition, an achievement Denard is proud of and one he thinks will help both attract fellows and sustain the program. Formal ASES recognition allows the fellowship to participate in the ASES match, increasing the program's visibility and likelihood of attracting high quality applicants. Denard admits, "it's been a long process" and a considerable effort to achieve this recognition for the program. But he also says it's been something he's been interested in since the program's conception. For a fellowship program to receive this recognition, it requires two ASES-registered surgeons be involved in the training, at least one of whom must be a full ASES member. Becoming a full member is itself a long process, requiring ASES membership for at least five years as well as making a "substantial contribution" to the ASES, which involves a point system that takes publications, leadership, and other criteria into account. Denard believes the effort to meet these requirements will pay off for the overall betterment of the program.

Having just finished interviewing a strong group of applicants, Denard is looking forward to bringing on a new fellow August 2021. The fellowship itself is a one-year program focusing on advanced arthroscopic techniques, arthroplasty, and shoulder and elbow trauma, with three dedicated operative days and two days of clinic each week. Fellows are also expected to make an academic contribution by completing at least two research projects during the year, either by collaboration with Denard's ongoing research or through pursuing their own areas of interest. Funding for the program is through the Southern Oregon Orthopedic Research Foundation, with some contribution from hospital and industry groups. Training will take place at both Southern Oregon Orthopedics and Asante Health Systems locations. Dr. Matthew Nugent and Dr. Cameron Phillips will join Denard in training the fellows.

Denard says his goal with the program is to help fellows hone their surgical technique before entering independent practice, while also supporting their research interests and further promoting their professional development. He hopes that decades from now, he can look back at his efforts and see that he helped create an alumni network of well-trained, highly regarded shoulder and elbow surgeons, and he believes that formal ASES recognition for the program is an important step in achieving that goal.

For more information about the Oregon Shoulder Fellowship, please visit https://www.oregonshoulder. com/fellowship-patrick-denard.html

Innovation Meets Altruism

By: Trevor Barronian, MD

Orthopaedics is a field heavily driven by innovation. Whether it is in techniques, medications, or orthopaedic implants there is a continuous push to improve upon what we have. This is an important attitude as forward progress directly benefits the patients who receive the care provided. By chance this article's focus was directed to Sign Fracture Care International. Initially the intention was to highlight Acumed, LLC, an orthopaedic implant company headquartered in Hillsboro. However, I reached out to a former Acumed employee and found that he is currently working for SIGN Fracture Care International. This provided me with the opportunity to learn more about the exciting innovation going on there.

What is SIGN Fracture Care?

SIGN Fracture Care is an organization based in Washington State and was founded in 1997 by Dr Lewis Zirkle. The idea was born out of his exposure to local hospitals while serving in Vietnam during the 1960s. The poor condition of these hospitals and lack of supplies affected him deeply, prompting him to found a company to help with fracture care. The mission statement on SIGN's website states "SIGN gives the injured poor access to fracture surgery by donating orthopaedic education and implant systems to surgeons in developing countries". True to their statement, they provide supplies to more than 50 countries around the world. More than that however, they also provide education to local physicians in these countries to ensure a lasting impact.

The people they treat

When discussing innovation, it is important to remember that often the patients who are benefiting from the newest innovations are those with the resources to purchase the treatments. As recently as 2017, the World Health Organization estimates that 800 million people spend at least 10 percent of their income on their health expenses. This added burden of health care is enough to push 100 million people over the line into extreme poverty. In these settings, innovation has to take a slightly different form. The focus has to be on availability and cost in addition to outcomes and quality. This is where companies like SIGN can make a large impact on these patients' lives.

Local involvement

Locally, SIGN is situated in an unassuming building in the southeast of Portland. This building is owned by Randy Huebner, the founder of Acumed. The building serves as a warehouse, office space, machine shop and design space for product development and manufacture. As previously mentioned, one of the ways in which SIGN provides aid is through the donation of implants. The implants are donated from companies, such as Acumed, or are designed and created by SIGN itself. Looking specifically at the donation side of their supply chain, there is a large variety of individuals and companies who contribute these implants. I had the chance to visit SIGN at the Portland location. SIGN contributors and employees develop custom sets of instrumentation made up of a variety of parts for use, which may even be originally from different companies. This ensures that when they are sent overseas there is a wide assortment of components to allow the surgeons to safely perform the necessary surgeries.

Two local individuals are intimately involved with SIGN Fracture Care and serve on the board. The first is Randy Huebner, mentioned above, In addition to serving on the board, he supplies implants and physical working space to SIGN in cooperation with Acumed. The second individual is Richard Gellman MD, a prominent orthopedic traumatologist practicing at Emanuel Hospital. Dr Gellman frequently participates in trips with the organization to provide aid and training, and also recruits doctors from many other countries to help with education.

Innovations

One of SIGN's more well-known products is the intramedullary nail, designed so that a single nail can be used in the femur or the tibia. This is an important consideration as getting supplies to more remote locations or impoverished regions can be difficult. Another impressive design of the nail is that it can be placed without fluoroscopy, which is required with standard intramedullary devices. This design feature addresses the fact that fluoroscopy is not often available in poorer regions. SIGN created a custom attachment to their nail insertion handle which puts the surgeon in the general area of the screw hole. Then, with a series of drills and an instrument called a slot finder, the hole is localized by feel and the screw is placed. Then, furthering the idea of this design and to help decrease operative time and blood loss, they developed a nail that replaces the screw holes with distal fins. These fins allow the nail to bind within the bone and helps prevent the fracture from rotating.

Orthopaedic innovations are crucial in getting care to the parts of the world that often need it most. There will always be a need for surgeons, engineers and others involved in the field to critically analyze the tools and techniques they use with the mindset of how these can be improved. And the importance of having spaces like the one in Portland where people have the equipment and space to let their creative juices flow cannot be overstated.



The John and Susan Hayhurst Distinguished Scholar

By: Jacqueline Brady, MD

On Sept 30, 2019, the OHSU Orthopaedics and Rehabilitation Department gathered at the Multnomah Athletic Club with representatives of the OHSU Foundation to celebrate the investiture of Dr. and Mrs. Hayhurst in support of orthopaedic research and innovation, in the form of the newly established John and Susan Hayhurst Professorship. The evening was unforgettable; we as an orthopaedic department are floored by their generosity and goodwill, and it was wonderful to have members of the OHSU Foundation present to give a more global perspective on the meaning of gifts like this one. Dr. Jung Yoo gave his thoughts as chairman on the lasting impact made by this donation, and Dr. Dennis Crawford commented as surgical director of the sports division. We learned that the origin of the funds is in large part due to Dr. Hayhurst's own innovation in the creation of arthroscopic tools. The gift has been turned into an endowment that will benefit numerous surgeons



Pictured in back, left to right: Dr. Jung Yoo and Susan Hayhurst. Pictured in front: Provost Elena Andresen, MD, Dr. John Hayhurst, and Dr. Jacqueline Brady

in my department going forward. I am the lucky first beneficiary, and I am committed to making sure the Hayhurst family feels their gift was worthwhile.

Dr. Hayhurst is a self-taught arthroscopist who remembers the days when the arthroscope was not

attached to a camera-surgeons looked through the end to visualize the joint, then made open incisions to address the pathology they identified. The earnings that prompted this gift originated largely from innovations of his own creation that advance our techniques in arthroscopic surgery. It is fitting, then, that we start by using his generosity to support our efforts in arthroscopic simulation training. The VirtuOHSU laboratory on campus is a perfect setting in which to teach arthroscopic skills: we have a robust and well-run Body Donations Program housed within the center, so residents can practice surgeries in a realistic "wet lab" environment. VirtuOHSU is a Center of Excellence for Storz, one of the makers of imaging technology for visualizing the inside of joints using an arthroscope.

We have been working on knee and shoulder simulation for several years now, but with the collaboration of my partner, Dr. Andrea Herzka, we have added hip arthroscopy to the curriculum. This is a boost to our simulation activities for two main reasons: 1) Residents get more practice with a 70-degree arthroscope, which is less commonly encountered in knee and shoulder surgery, and 2) Residents get more exposure, in a safe environment, to a very difficult skill with a very steep learning curve. We measure resident motion patterns as they work their way through six wet labs over the course of their 10-11 week rotation on orthopaedic sports surgery. Having validated a model showing that motion patterns correlate with level of expertise in arthroscopy, we are now investigating whether we can track improvement over the course of the sports rotation. Recently, we have made two improvements: 1) We upgraded the sensors to a technology that does not require the usual lengthy intermediate step, to process the firestorm of data points recorded as the residents complete the tasks; and 2) We added a sensor to track motions of the head and neck in addition to the original focus on the trunk and upper extremities. Medical education

Featured Articles



Professor Dennis Crawford MD, PhD articulating the confluence between Dr. John Hayhurst's vision and Dr. Jaqueline Brady's research, in celebration of her appointment as the first John and Susan Hayhurst Professorship award recipient

research is often a lengthy process, because the accumulation of data is necessarily slow, but we are already seeing consistencies in motion patterns that correlate with what we see on the video screen and on direct observation of resident movements.

OHSU is also a collaborator in a multicenter study to validate dry tools to develop arthroscopic skills. Simulation efforts can be varied and inevitably expensive. Standardized, validated trainers are needed to develop basic skills before launching into the more advanced world of wet simulation, virtual reality, and ultimately the clinical setting. The general surgery community has had laparoscopic trainers as part of their credentialing process for several years now, in a program called the Fundamentals of Laparoscopic Surgery (FLS). Arthroscopic trainers with various modules that comprise the Fundamentals of Arthroscopic Surgery Training (FAST) program are of great interest as a similar set of standardized and validated tools for basic arthroscopic skills. OHSU led phase 1 of the multicenter study, in order to establish benchmarks and evaluate how a PGY-1 resident should perform on a ring transfer task compared to a PGY-5 resident, for instance.

Recently, three of our faculty traveled with six residents to the Orthopaedic Learning Center (the laboratory at the headquarters of our American Academy of Orthopaedic Surgeons) in Rosemont, IL to study the transfer validity of the FAST tools for performance in simulated and clinical environments. The residents and faculty met with others from 8 programs around the country. The residents were "pre-tested" in the operating room ahead of the trip, with a focus on diagnostic arthroscopy and simple procedures such as partial meniscectomy and subacromial decompression. Then at the Orthopaedic Learning Center, they spent a full day working with the FAST tools to develop skills that progressed from horizon control and periscoping with the angled camera to biting simulated meniscus and passing sutures through targets in simulated tissue. They were then tested on dry shoulder models, virtual reality simulators, and donor tissue to establish their arthroscopic skills before heading home. In the final portion of this phase 2 of the study, they will be post-tested in the clinical environment to determine how the practice with the FAST tools affected their performance in the operating room.

I have also been tapped via the Arthroscopy Association of North America to be a member of the task force to implement these FAST tools into the virtual reality environment. The Virtamed simulator is the most popular virtual reality trainer for arthroscopy skills, and building the FAST tools into its software affords us a new level of ability to evaluate and direct resident training. For instance, if the simulator recognizes that a resident has trouble maintaining the horizon level with the camera, it can direct the resident to modules to practice this specific skill before allowing progress through the remainder of the curriculum.

The "holy grail" of surgical simulation is to prove that our practice in a laboratory setting makes trainees safer and more efficient. With the aid of Dr. and Mrs. Hayhurst's generous donation, OHSU arthroscopy simulation is well on its way to making this a reality.



OHSU residents and faculty studying and practicing arthroscopic skills at the Orthopaedic Learning Center in Rosemont, IL

National VA Database Driven Clinical Research – Annual Report Update

By: Kenneth Gundle, MD

The Veterans Healthcare Administration (VHA) is collectively the largest health system in the country. As a result, the VA databases contain an ever expanding set of information that can be harnessed for impactful clinical research. Granular data exists for all patient encounters, including skilled nursing facility stays and information on Veterans treated outside of VHA. Each day over a million new points of clinical information are entered into the vast relational data architecture.

At the time of our last update, we were focusing on metastatic disease in the femur. That work has led to over a dozen presentations at annual meetings, and several publications. One our residents, class of 2019 Dr. Travis Philipp, was lead author in the Clinical Orthopaedics & Related Research publication entitled, "Is there an association between prophylactic femur stabilization and survival in patients with metastatic bone disease?" OHSU School of Medicine Class of 2020 Dr. Jacob Mikula, who starts his orthopaedic surgery residency at Johns Hopkins this summer, was also a co-author. Relatedly, Dr. David Putnam from our residency class of 2020 published a systematic review entitled, "Treatment modalities for pathologic fractures of the proximal femur pertrochanteric region" in the Journal of Arthroplasty. The newly minted Dr. Phillip Lam (OHSU SOM '20) is joining our residency in June and co-authored that paper. OHSU SOM class of 2021 Sarah Hanna, along with graduating chief resident Dr. Duncan Ramsey, have two additional manuscripts under review about perioperative radiation referrals and how best to identify impending pathologic fractures within databases.

The Clinical Data Science Research Group at the Portland VA was joined by a data scientist last year, and she has been a huge help. Cecelia Madison completed a graduate program with the OHSU Department of Medical Informatics and Clinical Epidemiology, and is now fully immersed in the world of VA data. She helps residents and staff with cohort creation and data wrangling through programming in SQL and R. We have also collaborated on natural language processing tools and determining consistent objective means of calculating key variables such as inpatient length of stay. We've also had the ongoing support of Tahnee Groat, research manager for the Operative Care Division.

In addition to metastatic disease of the femur, we are investigating the care of sarcomas within VHA and have proposals to partner with industry to study the uptake and outcomes of new devices. We are also studying the impact of clinical trial publications on the rates of partial meniscectomy, and have applied for extramural funding to investigate the impacts of COVID-19 on musculoskeletal care nationwide.

We have made some progress since the last update, but there is so much more to be done. Reach out if you would like to learn more!

Orthopaedic Surgery Interest Group (OSIG) Engages Medical Students Interested in Orthopaedics at OHSU: A Review of Programming, Involvement, and Impact

By: Zachary Goldstein, BS; Tasha McKibben, BS; David Cornwell, BS; Kenneth Gundle, MD

The goal of the Orthopaedic Surgery Interest Group (OSIG) is to cultivate interest in the field of orthopaedics and engage medical students interested in orthopaedic surgery. This mission is achieved through collaboration with the Department of Orthopaedics and Rehabilitation at OHSU. OSIG hosts activities including monthly research meetings, surgical simulations, sterile technique workshops, and first assist opportunities that expose students to different aspects of a career in orthopaedic surgery. The diversity of OSIG events and strong partnership with OHSU has allowed it to remain one of the largest and most active student interest groups. This year OSIG's membership increased from 199 to 237, including 45 new members from the M.D. class of 2023. The following is a review of this year's programming and impact.

Early in their first year at OHSU, medical students are invited to attend the OSIG "Research Trajectory" talk hosted by OSIG faculty advisor Dr. Kenneth Gundle. This talk highlights the optimal time to complete research and prepare for a strong application into a competitive specialty. The content of this talk is reinforced by monthly research meetings led by Dr. Natalie Zusman, a PGY-3 orthopaedics resident. OSIG research meetings provide students with opportunities to learn about ongoing projects in the department, discuss and overcome obstacles inhibiting productivity, and present progress and ideas for new studies. The engagement of OSIG with research is outstanding, evidenced by 22 posters and projects presented at the 2019 OHSU Research Symposium. Additionally, OSIG continues to guide projects towards successful acceptances to national journals and conferences

throughout the year. New this year, OSIG student leaders constructed an orthopaedic conference calendar with abstract deadlines and conference locations to be used by students, residents, and faculty. This calendar, updated quarterly, is available to the public on the OSIG website: https://www.ohsu.edu/ortho/orthopaedicsurgery-interest-group.

In addition to developing research within the department, OSIG has continued to host sterile technique workshops that allow students to familiarize themselves with the sterile field and operating environment. During these workshops OHSU perioperative staff train students on how to properly scrub, gown and glove, and navigate the operating room during a case. OSIG leaders teach students how to operate scrub machines, locker rooms, and navigate the surgical floor. In response to student feedback, a third workshop was added this year increasing our total capacity to 45 students. Surveys were distributed before and after workshops to measure the participants' level of comfortability with tasks such as scrubbing in and gloving (Figure 1).

Notably, the average student comfortability with navigating scrub lockers, surgical floors, and operating rooms rose from 1.5/10 to 7.6/10. The average student comfortability with being in a sterile field increased from 3.6/10 to 5.9/10. Before entering the wards in their second year, students do not receive formalized sterile technique training through the university. Orientation to the surgical floor, operating rooms, and sterile field helps prepare students for clinical exposure. This organized training facilitated by OSIG not only aids students as they begin



preceptorships, but also alleviates pressure from staff who share the responsibility of helping new students navigate the OR safely.

This year through OSIG's Surgical Simulation Labs (Simlabs), students were provided early. supervised exposure to both suturing and common orthopaedic surgical approaches. The Simlabs allow students to hone their skills tying knots, develop muscle memory involved in suturing, and elevate general surgical knowledge before working directly with patients. Simlabs make use of OHSU's Virtu-OHSU surgical simulation environment, and immediately follow orthopaedic resident's arthroscopic training. Hands-on manipulation of fresh cadaveric tissue is preceded by an educational lecture on surgical approaches and common anatomical landmarks. These lectures are taught by department faculty and allow students to ask questions about the worksheets they complete before entering the Simlab. Each of the three yearly Simlabs accommodates 12 students from the first and second year classes and is a unique opportunity to work directly with orthopaedics attendings and residents.

Beyond research, surgical simulations, and sterile technique workshops, OSIG has also continued to expand the First Assist Program. First Assist is coordinated with department administrators and allows students to work in the operating room with specified attending surgeons. This year 6 preclinical and clinical students were able to participate, more than doubling the number of students involved in this highly sought-after program. Through First Assist, students receive unparalleled hands-on experience in the care of orthopaedic patients while also providing assistance at times when residents are unavailable.

With the help of the Department, faculty, and residents, OSIG continues to provide opportunities for medical students to gain early exposure to and develop a passion for the field of orthopaedic surgery.

ORTHOPAEDIC SURGERY INTEREST GROUP

2019-2020 OSIG Student Leads: Tasha McKibben, Zachary Goldstein, David Cornwell Resident Lead and Research Advisor: Natalie Zusman, MD Faculty Sponsor and Research Advisor: Kenneth R. Gundle, MD

Presented at OHSU's Research Week - 2020

Comparing BMP-9 with TGF- β 1 for Tissue Engineering Stable Articular Cartilage. Cory Kim, BS

Does Surgical Delay Impact Blood Loss During Acetabular Fracture Surgery? Natasha McKibben, BS

Multimodal Preoperative Screening for Recent Nicotine and Marijuana Use in Hip and Knee Arthroplasty Patients at the Portland VA Medical Center. John Tabb, BA

Orthopaedic Care of the Transgender Patient. Ariana Stuart, BA

Pivot Kick Study: Can a Novel Physical Exam Maneuver for Medial Meniscus Tears Predict Improvement After Partial Medial Meniscectomy? Jorge Walker, MS

Readmission Rates After Total Hip and Knee Arthroplasty Vary Across Different Datasets. Stephanie Zhao, MSL

A Systematic Review of Tuberosity Healing and Outcomes Following Reverse Shoulder Arthroplasty for Fracture According to Humeral Inclination of the Prosthesis. Joe O'Sullivan BS

Is the Iliac Cortical Density Similarly Positioned in the Non-Dysmorphic Developing Pelvis? Benjamin Watzig, BS

Definitive Treatment? Risk Factors for Reoperation Within One Year of Below Knee Amputation. Liam Wong, BS

Methamphetamines & Acetabular Reoperation Rates: Poor Outcomes From the Front Lines. David Gallacher, BS

Location-specific differentiation potential of clonal articular cartilage progenitor cells. Leah Snyder, BS

Talking Innovation with Dr. Steven Madey

By: Connor Pihl, MD

In practice as a hand and microvascular specialist with Summit Orthopaedics since 1997, Dr. Steven Madey MD has served in a variety of roles throughout his career, including site director for OHSU and Samaritan Health Services orthopaedic surgery residency rotations at Legacy Emmanuel Hospital. During ten-week blocks, OHSU (2nd and 4th years) and Samaritan (4th year) orthopaedic surgery residents have the opportunity to share in and benefit from Dr. Madey's unique measure of knowledge, surgical skill, business acumen, and enthusiasm for innovation. Inspired by this last quality as the theme of the current volume of the OJO, I was thankful to have the chance to get his unique take on orthopaedic innovation in the state of Oregon. Motivated by his fruitful work as an University of Iowa orthopaedic resident and Hand Fellow, Dr. Madey founded the Legacy Biomechanics Laboratory in 1999 with his Iowa collaborator Dr. Michael Bottlang, PhD. Oriented to the design and evaluation of new treatment modalities that advance patient care, the lab has matured and expanded over the last two decades, seeing much success along the way. With over 50 publications and many innovative technologies and products brought to market - such as the Pelvic sling, MatrixRIB plating system, far cortical locking constructs, active plating constructs, a mechanoactive transduction and evaluation tissue bioreactor, and most recently advanced helmet technology- it's fair to say the Legacy Biomechanics Laboratory has been a pioneering player in Oregon's history of orthopaedic innovation.

Faced with questions like "why would you do that (in Portland), it's impossible", at the outset, Drs. Madey and Bottlang leveraged Legacy Health support, NIH grants, DoD grants, and creative ingenuity to establish the State's first private basic and applied orthopaedic research lab. Reflecting on the early years, Dr. Madey identified niche focus, "grit", and a collaborative spirit driven by deep respect for interdisciplinary perspectives as key to early progress in a region that lacked the "history and architecture" of places like Boston, Texas, and the North Carolina Research Triangle. "Knowing exactly who we were and what we could and couldn't do", allowed Drs. Madey and Bottlang to carve out a space for the lab initially focused on evaluating industry devices in an Oregon landscape with few other players.

Through this early work, Drs. Madey and Bottlang steadily built up the experience, infrastructure, talented team, financial support, and both local and national relationships to allow their expansion into the novel design sphere. With a simple mantra of - identify a single problem, understand that problem, and leverage your unique capabilities to engineer a solution - they have carefully grown their intellectual and onmarket portfolio. Seeing success right alongside the Legacy Biomechanics Lab, the greater Portland and Oregon biotech industry at large has also grown and flourished, due in no small part to significant advances such as Dr. Brian Druker's use of Imatinib (Gleevec) to treat CML, investments and basic science breakthroughs by OHSU and the Phil Knight Institute, and relocation and expansion of Acumed, LLC in Beaverton, OR just to name a few.

Pressed to share his thoughts on the future of orthopaedic innovation in Oregon, Dr. Madey was bullish about what could be achieved by "any driven individual who wants to make it happen". To those so inclined, in addition to now being able to realize the benefits of operating within a maturing biotech landscape, Dr. Madey noted first-hand the assistance aspiring innovators can gain through State established and/or supported programs such as the Oregon Manufacturing Extension Partnership (OMEP). With OMEP's "phenomenal" support, Drs. Madey and Bottlang have most recently set out on a new endeavor, actually manufacturing the innovative technology they have created through their game-changing helmet company WaveCel.



The company's helmet insert product, which is uniquely able to flex, crumple and glide to divert rotational impact forces away from the head in a crash, was awarded with the highest possible safety rating (5 stars) by Virginia Tech University's helmet testing facility and has disrupted the industry. The public's response to Madey's partnership with bicycle giant Trek Bontrager has been so enthusiastic that the company relocated from their original five-thousand square foot manufacturing space in Milwaukie to a nearly fifty-thousand square foot facility in Wilsonville that will allow them to fulfill an estimated demand for 1.5 million helmets over the next year. If you haven't already, the next time you're out on the road or trail you may just notice the company's characteristic neon green honeycomb-esque material on a fellow rider's helmet!

Asked if he could have imagined his career unfolding in this way as he took his first steps towards establishing the Legacy Biomechanics Laboratory over 20 years ago, Dr. Madey's response was simple - "of course not". It appears to me that with his example of what can be achieved by staying both curious and committed to an iterative process of improvement, growth, adaptation, and redefinition throughout a career, future orthopaedic innovators have much to look forward to as we venture into a new decade in an Oregon landscape that's never looked so promising.



SURGEON-CENTERED. EFFICIENT.¹ ACCURATE.²

REDEFINING ROBGICS

For more information, visit zimmerbiomet.com/rosaknee or contact ZB Oregon at Brandon.Losee@zboregon.com.

ROSA[®] Knee

65

ROSA



1. Statement based on x-ray based imaging, imageless case option, and reduced instrumentation through pre-operative imaging. 2. Parratte, S., et al. Accuracy of New Robotically-assisted Technique for Total Knee Arthroplasty: A Cadaveric Study. The Journal of Arthroplasty. 34(11): 2799-2803, 2019. All content herein is protected by copyright, trademarks and other intellectual property rights, as applicable, owned by or licensed to Zimmer Biomet or its affiliates unless otherwise indicated, and must not be redistributed, duplicated or disclosed, in whole or in part, without the express written consent of Zimmer Biomet. This material is intended for health care professionals. Distribution to any other recipient is prohibited. For indications, contraindications, warnings, precautions, potential adverse effects and patient counselling information, see the package insert or contact your local representative; visit www.zimmerbiomet.com for additional product information. Check for country product clearances and reference product specific instructions for use. Not for distribution in France. © 2020 Zimmer Biomet Radiological Criteria for Atypical Features of Femur Fractures: What We Can Learn When Applied in a Clinical Study Setting. LeBlanc ES; Rosales AG; Genant HK; Dell RM; Friess DM; Boardman DL; Santora AC; Bauer DC; de Papp AE; Black DM; Orwoll ES. Osteoporos Int 2019 Jun;30(6):1287-1295

Neer Type II Distal Clavicle Fractures: A Cost-Effectiveness Analysis of Fixation Techniques. Fox HM; Ramsey DC; Thompson AR; Hoekstra CJ; Mirarchi AJ; Nazir OF. J Bone Joint Surg 2020;102(3):254-261

Five-Year Radiographic Evaluation of Stress Shielding With a Press-Fit Standard Length Humeral Stem. Cole EW; Moulton SG; Gobezie R; Romeo AA; Walker JB; Lederman E; Denard PJ. J Shoulder Elbow Int 2020;4(1):109-113

Use of a Large Tenaculum Clamp as a Reduction Technique for Treatment of Distal Radius Fractures. Fox HM; Thompson AR; Nazir OF; Mirarchi AJ. J Hand Surg Am 2019;44(5):427.e1-427.e8

Utility of Follow Up Radiographs After Pin Removal in Supracondylar Humerus Fractures: A Retrospective Cohort Study. Zusman NL; Barney NA; Halsey MF; Yang S. J Am Acad Orthop Surg 2020;28(2):e71-e76

A Systematic Review of the Utility of Postoperative Imaging in the Management of Pediatric Supracondylar Humerus Fractures. Zusman NL; Barney NA; Woelber E; Yang S. J Pediatr Orthop 2019;10.1097/BPO.000000000001431.

Prevalence and Clinical Significance of Incidental Vertebral Marrow Signal Abnormality in Thoracolumbar Spine MRI. Carlson HL; Thompson AR; Pettersson DR; Goodwin B; Deloughery TG; Carlson NL; Marshall LM. *Spine* 2020;45(6):390-396

Postoperative Management Factors Affect Urinary Retention Following Posterior Spinal Fusion for Adolescent Idiopathic Scoliosis. Knight BA; Bayne A; Zusman N; Barney N; Yang S. Spine Deform 2020;10.1007/s43390-020-00090-9.

Patient-Reported Outcomes After Exosym Bracing (Intrepid Dynamic Exoskeletal Orthosis (IDEO)) in the Civilian Population. Hadden R; Meeker J; Weiss J; Thompson A. Foot & Ankle Orthop 2019;4(4) doi:10.1177/2473011419s00194

Calcaneal Tuberosity Fractures Through Prior Schantz Pin Sites in Patients With Diabetic Neuropathy. Ramsey DC; Laursen RK; Meeker J; Yoo B. *The Foot 2019;39:96-99*

Oncology Patients Are High Cost Outliers in Total Joint Replacement Bundled Payment Systems. Woelber E; Gundle KR; Geddes J; Schabel KL; Hayden JB; Hasan SR; Raymond LM; Doung YC. *J Arthroplasty 2020;35(1):12-16.e1*

An Expert Consensus Statement on the Management of Large Chondral and Osteochondral Defects in the Patellofemoral Joint. Chahla J; Hinckel BB; Yanke AB; Farr J; and Metrics of Osteochondral Allografts (MOCA) Group. Orthop J Sports Med 2020;8(3):2325967120907343

Design and Validation of a Device for the Mechanical Stimulation of Bioengineered 3D Neo-Tissue Constructs. Slocum JT; Ascoli P; Bandiera N; Katz B; Kataria S; Wentworth M; Monteiro N; Smith E; Weekes K; Johnstone B; Yelick PC. *Precision Engineering 2020*;64:129–137

Comparing Cellular Bone Matrices for Posterolateral Spinal Fusion in a Rat Model. Lin C; Zhang N; Waldorff EI; Punsalan P; Wang D; Semler E; Ryaby JT; Yoo J; Johnstone B. *JOR Spine 2020;e1084. https://doi.org/10.1002/jsp2.1084*

A Comparative Evaluation of Commercially Available Cell-Based Allografts in a Rat Spinal Fusion Model. Johnstone B; Zhang N; Waldorff EI; Semler E; Dasgupta A; Betsch M; Punsalan P; Cho H; Ryaby JT; Yoo J. Internat J Spine Surg 2020;14(2):213–221.

Mesenchymal Stem Cell Based Regenerative Treatment of the Knee: From Basic Science to Clinics. Zellner J; Johnstone B; Barry F; Madry H. Stem Cells Internat 2019, Article ID 7608718, 1

Alleviation of Cartilage Destruction by Sinapic Acid in Experimental Osteoarthritis. Cai D; Huff TW, Liu J;, Yuan T; Wei Z; Qin J. *BioMed Research International 2019, Article ID 5689613*

Developmental Dysplasia of the Hip. Yang S; Zusman N; Lieberman E; Goldstein RY. Pediatrics 2019;143(1) e20181147

Hip Arthrography Complicated by Air Embolism in Infants: A Report of 2 Cases. Bell C; Greene N; Kato M; Goldstein R; Yang S. J Bone Joint Surg Case Connect 2019;9(1):e9

Advantages of an Anterior-Based Muscle-Sparing Approach in Transitioning From a Posterior Approach for Total Hip Arthroplasty: Minimizing the Learning Curve. Kagan RP; Greber EM; Richards SM; Erickson JA; Anderson MB; Peters CL. J Arthroplasty 2019 Dec;34(12):2962-2967

Radiographic Evidence of Soft-Tissue Gas 14 Days After Total Knee Arthroplasty Is Predictive of Early Prosthetic Joint Infection. Li N; Kagan R; Hanrahan CJ; Hansford BG. AJR Am J Roentgenol 2020;214: 171-176

Multiple Cultures and Extended Incubation for Upper Extremity Revision Arthroplasty Affect Clinical Care: A Cohort Study. Mahylis J; DeHaan A; Domont ZB; Thompson AR; Orfaly RM; Barnes P; Mirarchi AJ. J Am Acad Orthop Surg Glob Res Rev 2019;3:e19.00150

Angiotensin II Blockade Had No Effect on Range of Motion After Total Knee Arthroplasty: A Retrospective Review. Langston JR; Ramsey DC; Skoglund K; Schabel K. J Orthop Surg Res 2020;15(48):1-6

Minimum 5-Year Outcomes of Pegged Versus Keeled All-Polyethylene Glenoids. Moulton SG; Cole EW; Gobezie R; Romeo AA; Lederman E; Denard PJ. J Shoulder Elbow Surg Open Access 2019;3(4):292-295

Increased Litigation Burden Among Tibia, Pelvis, and Spine Fractures. An Analysis of 756 Fracture-Related Malpractice Cases. Working AM; El Naga AN; Slocum J; Tucker A; Hoogervorst P; Marmor MT. OTA International 2019;2(3):e025

Lower Urinary Tract Symptoms and Urinary Bother Are Common in Patients Undergoing Elective Cervical Spine Surgery. Lieberman EG; Radoslovich S; Marshall LM; Yoo JU. *Clin Orthop Relat Res* 2019;477:872-878.

Kyphosis and 3-Year Fall Risk in Community-Dwelling Older Men. McDaniels-Davidson C; Nichols JF; Vaida F; Marshall LM; Kado DM. Osteoporos Int, in press

A Pilot Randomized Controlled Trial for Aerobic and Strengthening Exercises on Physical Function and Pain for Hip Osteoarthritis. Thompson AR; Christopherson Z; Marshall LM; Carlson HL; Carlson NL. *PM&R* 2020;12:229-237

Choices, Compromises, and Controversies in Total Knee Arthroplasty. Lombardi Jr AV; Berend KR; Tria Jr AJ; Peters CL; Kagan R; Callaghan JJ; Iorio R; Lieberman JR; Della Valle CJ; Calkins TE; Barrack RL; Edelstein AI; Barnes CL; Mears SC. *Instr Course Lect* 2019;68:187-216

Ten-Year Survivorship, Patient-Reported Outcomes, and Satisfaction of a Fixed-Bearing Unicompartmental Knee Arthroplasty. Arthroplasty Today April 06, 2020 DOI:https://doi.org/10.1016/j.artd.2020.02.016

Radiographic Parameter-Driven Decision Tree Reliably Predicts Aseptic Mechanical Failure of Compressive Osseointegration Fixation. Kagan R; Parlee L; Beckett B; Hayden JB; Gundle KR; Doung Y-C. Acta Orthop 2020;91(2):171-176

Reliability and Validity of the Vancouver Classification in Periprosthetic Fractures Around Cementless Femoral Stems. Shanjean Lee S; Kagan R; Wang L; Doung Y-C. J Arthroplasty 2019;34(7S):S277-S281

Mechanosensitive MiRs Regulated by Anabolic and Catabolic Loading of Human Cartilage. Hecht N; Johnstone B; Angele P; Walker T; Richter W. Osteoarthritis Cartilage 2019;27(8):1208-1218

Physioxia Has a Beneficial Effect on Matrix Production in Interleukin-Beta Inhibited Mesenchymal Stem Cell Chondrogenesis. Pattappa G; Schewior R; Hofmeister I; Seja J; Zellner J; Johnstone B; Docheva D; Angele P. Cells 2019;8(8):E936

Cells Under Pressure – The Relationship Between Hydrostatic Pressure and Mesenchymal Stem Cell Chondrogenesis. Pattappa G; Zellner J; Johnstone B; Docheva D; Angele P. *Eur Cell Mater* 2019;37:360-381

The Importance of Physioxia in Mesenchymal Stem Cell Chondrogenesis and the Mechanisms Controlling Its Responses. Pattappa G; Johnstone B; Zellner J; Docheva D; Angele P. Int J Mol Sci 2019;20(3):484

Multi-Disciplinary Approaches for Cell-Based Cartilage Regeneration. Johnstone B; Stoddart M; Im Gl. J Orthop Res 2020;38:463-472

Surgical Simulation Maximizing the Use of Fresh-Frozen Cadaveric Specimens: Examination of Tissue Integrity Using Ultrasound. Bell CD; O'Sullivan JG; Ostervoss TE; Cameron WE; Petering RC; Brady JM. J Grad Med Educ, in press https://doi.org/10.4300/JGME-D-19-00553.1

In Children With Traumatic Lateral Patellar Dislocations, Arthroscopic Repair of the MPFL Reduced Redislocations but Did Not Improve Knee Function. Brady JM. J Bone Joint Surg Am 2019;101(4):370

Isolated Medial Patellofemoral Ligament Reconstruction for Patellar Instability Regardless of Tibial Tubercle-Trochlear Groove Distance and Patellar Height: Outcomes at 1 and 2 Years. Erickson BJ; Nguyen J; Gasik K; Gruber S; Brady J; Shubin Stein E. Am J Sports Med 2019;47(6):1331-1337

Low-Grade Osteosarcomatous Transformation of an Atypical Lipomatous Tumor in a Pediatric Patient. Kukull BJ; Khalighi MA; Gundle KR; Hansford BG; Corless CL; Davis JL. *Pediatr Dev Pathol* 2020;240-246

CORR Insights®: Do Massive Allograft Reconstructions for Tumors of the Femur and Tibia Survive 10 or More Years After Implantation? Gundle KR. Clin Orthop Relat Res 2020;525-526

Evaluation of Endoscopic Iliopsoas Tenotomy for Treatment of Iliopsoas Impingement After Total Hip Arthroplasty. Bell CD; Wagner MB; Wang L; Gundle KR; Heller LE; Gehling HA; Duwelius PJ. *J Arthroplasty 2019 Jul*;34(7):1498-1501

Safety and Efficacy of High-Dose Methotrexate for Osteosarcoma in Adolescents Compared With Young Adults. Wippel B; Gundle KR; Dang T; Paxton J; Bubalo J; Stork L; Fu R; Ryan CW; Davis LE. *Cancer Med* 2019;8(1):111-116

Is There an Association Between Prophylactic Femur Stabilization and Survival in Patients With Metastatic Bone Disease? Philipp TC; Mikula JD; Doung YC; Gundle KR. *Clin Orthop Relat Res* 2020;478:540-546

Multiplexed Evaluation of Microdosed Antineoplastic Agents In Situ in the Tumor Microenvironment of Patients With Soft Tissue Sarcoma. Gundle KR; Deutsch GB; Goodman JH; Pollack SM; Thompson MJ; Davis JL; Lee MY; Ramirez DC; Kerwin W; Bertout JA; Grenley MO; Sottero KHW; Beirne E; Frazier J; Dey J; Ellison M; Klinghoffer RA; Maki RG. *Clin Cancer Res 2020 April 16. DOI: 10.1158/1078-0432.CCR-20-0614. PMID 32299817*

Compartment Syndrome in Tibial Plateau Fractures: Do Previously Established Predictors Have External Validity? Marchand LS; Working ZM; Rane AA; Elliott IS; Gilbertson E; Rothberg DL; Higgins TF; Haller JM. J Orthop Trauma 2020;34(5):238-243

A Biomechanical Comparison of Fiberglass Casts and 3-Dimensional-Printed, Open-Latticed, Ventilated Casts. Hoogervorst P; Knox R; Tanaka K; Working ZM; El Naga AN; Herfat S; Lee N. *Hand* 2019 Feb 27:1558944719831341

Unstable Pelvic Ring Injuries: How Soon Can Patients Safely Bear Weight? Marchand LS; Working ZM; Rane AA; Elliott IS; Howenstein A; Haller JM; Rothberg DL; Higgins TF. J Orthop Trauma 2019;33(2):71-77

In Vivo CT Analysis of Physiological Fibular Motion at the Level of the Ankle Syndesmosis During Plantigrade Weightbearing. Hoogervorst P; Working ZM; El Naga AN; Marmor M. Foot Ankle Spec 2019;12(3):233-237

Measurement of Midshaft Clavicle Vertical Displacement Is Not Influenced by Radiographic Projection. Hoogervorst P; Chopra A; Working ZM; El Naga N; Verdonschot; Hannink G. J Shoulder Elbow Surg Int 2020;4(2):251-255

Clinical Practice Guidelines in the Treatment of Glenohumeral Joint Osteoarthritis. Kamath A; DeAngelis JP; Hazzan K; Gee AO; Pearl ML; Small K; Kennedy J; Dyer K; Leggin B; Dillon MT; Orfaly RM. *American Academy of Orthopaedic Surgeons, in press*

Performance Measures in the Treatment of Glenohumeral Joint Osteoarthritis. Khazzam M; Leggin B; Orfaly RM. *American Academy of Orthopaedic Surgeons, in press*

Multimodal Pain Control in Adolescent Posterior Spinal Fusion Patients: A Double-Blind, Randomized Controlled Trial to Validate the Effect of Gabapentin on Postoperative Pain Control, Opioid Use, and Patient Satisfaction. Anderson DE; Duletzke NT; Pedigo EB; Halsey MF. Spine Deform 2020;8(2):177-185

Image Distortion in Biplanar Slot Scanning: Part 2 Technology-Specific Factors. Sharp J; Bouton D; Anabell L; Degan T; Sienko S; Welborn MC. J Pediatr Orthop 2020 Apr 28. doi: 10.1097/BPO.000000000001570

Predicting and Promoting Human Bone Marrow MSC Chondrogenesis by Way of TGFb Receptor Profiles: Toward Personalized Medicine. Rothweiler R, Basoli V, Duttenhoefer F, Kubosch S, Schmelzeisen E, Johnstone B, Alini M, Stoddart MJ. Frontiers in Bioengin and Biotech. 2020;8:Article 618 doi: 10.3389/fbioe.2020.00618

OHSU Chief Residents and Senior Projects

Risk Factors for Radiotherapy Failure in the Treatment of Spinal Metastases. <u>Baksh N;</u> McKibben N; Chen Y; Gao L; Nguyen T; Brown S; Jaboin J; Lin C.



Nikolas Baksh, MD

Hometown: Lancaster, PA Medical School: Case Western Reserve University, Cleveland, OH Fellowship Plans: Spine, New York University, New York, NY

OBJECTIVE

The spinal instability in neoplasia score (SINS) was developed as a referral tool for medical providers treating patients with metastatic spine disease. There is limited research studying SINS correlation with rates of failure after radiation therapy. The goal of this study was to evaluate risk factors for failure of radiation therapy. We hypothesized that a higher SINS would correlate with failure.

METHODS

We performed an IRB approved retrospective cohort study at a tertiary academic center. All patients with spinal metastasis being treated with radiation between September 2014 and October 2018 were identified. Pediatric patients and patients with myeloma, leukemia, lymphoma, sarcoma, cord compression, history of prior radiation or surgery, or inadequate follow up were excluded. Baseline demographics were recorded and the SINS calculated. Variables analyzed were primary tumor type, Karnofsky and ECOG scores, time to treatment, dosage, and type of radiation. The outcome was radiation therapy failure as defined by persistent pain, need for re-irradiation, or surgical intervention. Chi squared and Fisher exact tests were used for analysis of the categorical variables. Continuous variables were analyzed with the student t-test. The multivariate regression model was built from the univariate analysis.

RESULTS

583 patients were identified; of those, 170 met the inclusion criteria. Mean follow up was 218 days. 43 patients failed radiation therapy, 10 required repeat radiation, and 7 underwent surgery. 36 reported no pain relief, including some that required re-irradiation and surgery. Significant risk factors on univariate analysis were SINS grouping (<6, 7-12, >12) (p = 0.143), biologically effective dose (BED) > 43 (0.047), categorical Karnofsky (<50, 50-70, >80) (p = 0.003), continuous Karnofsky (p = 0.001), ECOG (0-2, 3-4) (p = 0.025), and male gender (p = 0.092). BED (OR 0.451), Karnofsky (OR 0.736), and male gender (OR 2.147) were included in the final regression model. The multivariate regression model had an AUC of 0.695, a sensitivity of 0.8140 and a specificity of 0.5276.

CONCLUSIONS

Lower performance scores, lower BED, higher SINS, and male gender were associated with radiation failure on univariate analysis. However only BED < 43, decreased Karnofksy score and male gender were associated with radiation failure in the multivariate model.

OHSU Chief Residents and Senior Projects

Traditional Versus Digital Media-Based Hand Therapy After Distal Radius Fracture. Lara <u>T;</u> Kagan R; Hiratzka S; Thompson A; Nazir O; Mirarchi A.



Taylor Lara, MD

Hometown: Memphis, TN Medical School: University of Tennessee, TN Fellowship Plans: Adult Reconstruction, Florida Orthopaedic Institute, Tampa, FL

PURPOSE

Distal radius fractures (DRF) are common injuries with a rising incidence. A significant portion of the cost of care is attributable to therapy services. Our purpose was to evaluate the effectiveness of a self-directed hand therapy program guided by digital media compared to traditional therapy.

METHODS

We conducted a randomized controlled trial in patients 18 years or older who underwent open reduction internal fixation (ORIF) of DRF with volar plating. Subjects were randomized to traditional hand therapy using a twelve-week protocol or an identical protocol presented in digital videos and performed at home. QuickDASH (QD) scores were collected as the primary outcome at 2, 6, and 12 weeks. Visual Analog Scale (VAS) scores, Veterans RAND 12item Health Survey (VR-12) scores, wrist and forearm range of motion, wrist circumference, and grip strength were recorded as secondary outcomes.

RESULTS

Fifty-one patients were enrolled. 22 were randomized to the digital media group and 29 to the traditional group. QD scores were significantly improved in the digital media group at 6 weeks (least square mean 30.55 ± 4.96 versus 43.99 \pm 4.03, p=0.04) but this was not clinically significant; no group difference existed at 2 weeks or 12 weeks. Ulnar deviation was greater in the digital media group at 12 weeks (37 \pm 12.4 versus 26 \pm 11.45, p=0.025). VAS or VR-12 scores showed no difference at any time point.

CONCLUSIONS

Our novel digital media program was at least as effective as traditional therapy for patients undergoing volar plating of distal radius fractures. There is the potential for improvements in the early recovery period as well as the potential to improve value and access to care.

OHSU Chief Residents and Senior Projects

Mortality Associated With Proximal Femur Metastatic Lesions Is Decreased When Treated With Arthroplasty Compared to Intramedullary Nailing in the VA Healthcare System. Putnam D; Gundle K.



David Putnam, MD

Hometown: Santa Cruz, CA Medical School: OHSU, Portland, OR Fellowship Plans: Adult Reconstruction, Scripps Health, San Diego, CA

BACKGOUND

The proximal femur represents the most common site of metastatic bone disease in the appendicular skeleton, and associated pathologic pertrochanteric femur fractures contribute to cancer related morbidity and mortality. Goals of surgical management of these fractures include pain relief, mobilization and avoidance of revision procedures. Controversy exists as to whether these injuries are best managed with intramedullary nailing or with arthroplasty.

QUESTIONS/PURPOSES

In this study, we sought to determine mortality rates as well as length of stay in patients with pathologic proximal femur fractures treated with intramedullary nailing or arthroplasty in the Veterans Health Administration system. Patients and Methods: This retrospective database comparative study included patients in the national Veterans Health Administration (VHA) with surgery taking place between September 30 2010 and October 1 2015. Patients were selected using ICD-9 and CPT codes associated with their care within the Veterans Administration Informatics and Computing Infrastructure Corporate Data Warehouse (VINCI).

RESULTS

679 patients were included in this study; 265 were treated with arthroplasty and 414 were treated with intramedullary nails. As would be expected in the VHA population, 95% of these patients were male with lung (24%), prostate (19%) and hematologic malignancies (15%) comprising the primary cancer diagnoses. Follow up was longer in the arthroplasty group (2.3 years) compared to the intramedullary nail group (1.9 years) and this difference was statistically significant (p0.01). The arthroplasty cohort was also older and less comorbid.

Age and Gagne comorbidity scores were both associated with decreased survival (0<0.001) and receiving arthroplasty as a treatment modality for proximal femur metastatic disease as opposed to intramedullary nailing was associated with survival this difference persisted after adjusting for age and comorbidities using a multivariate analysis.

CONCLUSION

This retrospective database cohort study found that when used for the treatment of proximal femur metastatic disease, arthroplasty was associated with increased patient survival when compared to intramedullary nailing and this difference persisted when adjusting for age and comorbidities.

EXCEEDING THE HIGHEST STANDARDS. YOURS.

CHOICE OF ENTRY POINTS

Designed with option for both Piriformis Fossa (PF) and Greater Trochanter (GT) entry points to accommodate surgeon preference and approach

EXTENSIVE LOCKING OPTIONS

Proximally: choice of standard, recon, or combined locking modes. Distally: 4 locking options including an A/P hole, distal dynamization option, and an oblique distal locking hole offset at 10 degrees

ANATOMICAL FIT

1.0m radius of curvature designed to help avoid anterior cortex impingement and short proximal nail end designed to reduce risk of nail prominence^{1,2}



The Femoral Recon Nail (FRN) System offers extensive options to meet your surgical preferences and enable the treatment of a range of fracture complexity. It's another in a growing list of unmatched comprehensive surgical options designed to meet your highest standards.

References: 1. DePuy Synthes Trauma. Analysis-Femoral Recon Nail, Anatomical Study. Ref. 0000271671. **2.** DePuy Synthes Trauma. Analysis-Femoral Recon Nail, Proximal Nail End. Ref. 0000271887.

©DePuy Synthes 2018. All rights reserved. 102870-181119 DSUS

OHSU Chief Residents and Senior Projects

Identification of Infectious Species After Resection of Soft-tissue Sarcomas. <u>Ramsey</u> <u>DC</u>; Jones RA; Weiss JK; Hayden W; Hayden J; Barnes P; Doung YC. *J Surg Onc* 2019 Jun;119(7):836-42.



Duncan Ramsey, MD

Hometown: Dallas, TX Medical School: University of Texas, San Antonio, TX Fellowship Plans: Orthopaedic Oncology, Massachusetts General Hospital, Boston, MA

BACKGROUND

Pathogenic species in deep tissue infections after soft-tissue sarcoma (STS) resection is largely unstudied, particularly the role of anaerobic bacteria, risks factors for those pathogens, and the time course of infection presentation.

METHODS

Retrospective analysis of 64 patients requiring operative debridement for deep tissue infection after STS resection was undertaken to identify infectious species and study risk factors for anaerobic infections. Kaplan–Meier methods examined the time course of infection presentation.

RESULTS

STS subtypes were most commonly pleomorphic STS, myxofibrosarcoma, and undifferentiated STS. Staphylococcus aureus was the most common organism isolated (56%) (Figure 1). Twenty (31%) infections were positive for ≥ 1 anaerobic organism. Twelve gram-positive and 10 gram-negative aerobic organisms were isolated. Most (90%) anaerobic-containing infections were polymicrobial, vs 52% of purely aerobic infections. No significant risk factors for anaerobic infections were identified. Median time from tumor resection until debridement was significantly greater for anaerobic infections (54.5 days) than for purely aerobic infections (29.5 days; P = 0.004), a difference so pronounced that using "presentation after 53 days" as a proxy for the presence of anaerobic pathogens had an accuracy of 81% (Figure 2).

CONCLUSIONS

Because polymicrobial and anaerobic bacterial infections are common, we strongly support antibiotic use with anaerobic coverage at debridement, particularly for infections presenting later.



OHSU Chief Residents and Senior Projects

Effects of Immediate Postoperative Physical Therapy on Negative Events Following Ambulatory Orthopaedic Surgery. Sun G; Gundle K; Contag A; Crawford D.



Grant Sun, MD

Hometown: Reno, NV Medical School: University of Utah, Salt Lake City, UT Fellowship Plans: Foot and Ankle, Baylor University, Dallas, TX

BACKGROUND

Postoperative physical therapy on the day of surgery (SDPT) for inpatient orthopaedic patients is known to improve function and reduce hospital length of stay. However, as far as we are aware, this has not been examined in the outpatient surgical setting.

OBJECTIVES

We examined whether negative event rates (triage phone calls, ER (emergency room) visits) and Press Ganey satisfaction scores were different in patients receiving SDPT compared to those that did not.

METHODS

One surgeon performed 590 ambulatory shoulder or knee procedures. Patients who had significant postoperative activity restrictions and underwent surgery on Thursdays received SDPT; those undergoing surgery on Fridays did not. To determine if there was a hidden day-of-week bias, two control groups without postoperative activity restrictions also underwent surgery on Thursday or Friday.

RESULTS

Negative event rates did not differ based on SDPT in those with postoperative activity restrictions (0.86 vs. 0.69, respectively, p=0.29) or in those with no activity restrictions (0.40 vs 0.26, respectively, p=0.12) (Table 1). Press Ganey scores similarly did not differ significantly based on SDPT, with mean scores of 9.2 and 9.0, of 10, in those with postoperative activity restrictions (p=0.53) (Table 2).

CONCLUSION

SDPT did not affect negative event rates or Press Ganey scores in patients with or without postoperative activity restrictions. This may reflect a ceiling effect, given the high baseline level of satisfaction associated with these procedures. A larger cohort and different metrics could be important additional elements to identify the impact of this complementary educational method in the post-operative ambulatory setting.

Table 1. Rate of negative events (ER visits and triage phone calls) per surgery			
	Thursday SDPT	Friday No SDPT	P-value
Postoperative activity restrictions	0.86% (233/271)	0.69% (99/144)	0.29
No postoperative activity restrictions	0.40% (35/87)	0.26% (23/88)	0.12
Abbreviations: SDPT, Same day physical the	rany		

Table 2: Press Ganey Scores averaged by group

	Thursday	Friday	P-value
	SDPT	No SDPT	r-value
Postoperative activity restrictions, score±SD (N)	9.2±1.1 (53)	9.0±1.2 (27)	0.53
No postoperative activity restrictions, score±SD (N)	9.2±1.3 (14)	9.3±1.2 (12)	0.94
Abbreviations: SDPT, Same day physical therapy; SD, Standard deviation; N, Number.			

Samaritan Health Services Chief Residents and Senior Projects

Management of the Pediatric Mallet Finger. Krohn EF.



Eric Krohn, DO

Hometown: Richland, WA Medical School: Lake Erie College of Osteopathic Medicine, Erie, PA Fellowship plan: Pediatrics, University of Michigan, Ann Arbor, MI

Disruption of the extensor mechanism at the distal interphalangeal joint leads to the deformity commonly called a "mallet finger". This is a common injury in the pediatric population, but research specifically on the management of these injuries in the pediatric population is lacking and treatment tends to mirror the adult world. To better define the management of these injuries in children, the most current literature on management of these injuries has been brought together with the key concepts of adult management.

A mallet finger refers to the disruption of the extensor mechanism at the distal interphalangeal (DIP) joint. Open physes in close proximity to the zone of injury as well as compliance issues are two factors that must be considered when treating these injuries in children. The main goals of the treatment are to restore active DIP joint extension and avoid any secondary deformities. Generally, nonoperative treatment with extension orthotic use is the preferred mode of treatment. Operative treatment is a topic of controversy as there is insufficient evidence to determine definitive indications. In addition, most research in this field has been done on adults, with pediatric therapy mirroring what is found in the adult population. The objective of this study was to synthesize the literature on treatment of mallet fingers in the pediatric population.

Improper treatment can lead to significant functional impairments. Treatment options for the pediatric mallet finger include various splint configurations for nonoperative management, or a multitude of surgical techniques for operative treatment. Crawford proposed a treatment assessment classification and it is a widely used measure of outcomes. It evaluates flexion and extension of the DIP joint as well as the presence or absence of pain.

MANAGEMENT OF THE ACUTE MALLET FINGER

Acute mallet fingers are those presenting <28 days from injury. Nonoperative treatment with an extension orthosis is by far the most commonly used treatment modality. Currently, the majority of treatment involves only extension splinting of the DIP joint.

SPLINTING

There is a paucity of evidence for nonsurgical management of pediatric mallet fingers specifically. Plastic stack splints, and thermoplastic and aluminum form splints are common splint designs - no significant differences between splint styles and functional outcomes are reported. All styles immobilize the DIP joint in full extension to slight hyperextension continuously, and maintain the joint in full extension during hygiene. Across all ages, average continuous splint wear time is 7.0 ± 1.2 weeks. Thereafter, most nighttime splinting recommendations are 2 weeks of nighttime use. If the DIP joint is inadvertently flexed during treatment then the protocol is restarted.

Complications in adults, at least, include some residual extensor lag of ~8°, leading to functional impairments. Casting is an option, although compliance has been shown to be directly related to the final extensor lag. In the pediatric population, compliance can be an issue and so casting remains an option in a child who will not tolerate splinting and in those where operative intervention is not warranted.

OPERATIVE MANAGEMENT

Indications for surgery have not been fully defined in adults or children. A 2008 Cochrane review determined that there was insufficient evidence to recommend specific surgical indications. Commonly reported indications are >30% involvement of the articular surface and significant volar subluxation of the distal phalanx. Open fractures are generally treated with irrigation and debridement, and fixation with or without direct tendon repair if possible. Relative indications in these injuries are the inability to comply with nonoperative treatment and patients who will have a difficult time performing their jobs with an external splint (musicians, surgeons).

Surgical techniques include Kirschner wiring, extension block wiring, small screws, hook plate, pull-through wires/suture, figure-of-eight wiring, tension band wiring, umbrella handle K-wire fixation, and external fixation. Biomechanically, pull-through sutures are more stable with no loss of reduction compared to K-wires, figure-of-eight wiring, and a pull-through wire. Even so, most of these techniques use a K-wire to immobilize the DIP joint in extension with extension block splinting being the most common. Those that support open reduction feel that the associated complications can be overcome with meticulous, anatomic, surgical reduction. Closed reduction proponents are concerned that open management is difficult due to the small articular fragment, inability to assess DIP joint congruency and damage to the tenuous soft tissue envelop. If a K-wire is used it is usually left in place for 6-8 weeks and then removed and followed by 2 weeks of nighttime splinting.

In acute closed mallet injuries without significant articular surface involvement and no volar

subluxation, splinting is as effective as surgical intervention. Complications with operative management include infection, nail deformity, joint incongruity, implant failure and residual pain, reported to be as high as 52% with K-wire fixation. Management of pediatric mallet injuries mirrors adult injuries. As there are no large studies comparing the different types of operative management in the pediatric population, indications loosely follow those of adults.

MANAGEMENT OF THE CHRONIC MALLET FINGER

Nonoperative management of the chronic mallet finger is generally recommended. However, surgery is recommended if there is an extensor lag of 40° or if there is a functional deficit. Operative management is focused on DIP joint stabilization and improvement of DIP joint extension. Common techniques are the central slip tenotomy and tenodermodesis. Patient satisfaction is high and additional procedures are generally not required for recurrent deformity. For multiple failed treatments, however, arthrodesis is a viable salvage operation but all attempts to avoid this in the pediatric population should be undertaken.

CONCLUSION

While there are few studies that relate specifically to pediatric mallet fingers, existing studies do support using similar treatment algorithms as those in adults. All acute, reducible bony or soft tissue mallets are best initially treated with splinting. Operative management is preferred if there is volar subluxation of the distal phalanx or an open fracture. The choice of a splint or surgical intervention has not been shown to significantly change patient outcomes, though no head to head assessment of different surgical techniques has been performed in children. In the chronic mallet finger, nonoperative management should be tried before operative intervention is considered. Splinting for at least 8 weeks is generally recommended. In those mallets that have failed multiple interventions or in chronic, contracted mallet fingers arthrodesis is a viable option, but only after failure of all treatment options.

Samaritan Health Services Chief Residents and Senior Projects

Image Distortion in Biplanar Slot Scanning: Technology Specific Factor. <u>Sharp J</u>; Bouton D; Degan T; Annabelle L; Seinko S; Welborn M.



Jennifer Sharp, DO

Hometown: Cheyenne, WY Medical School: Kansas City University, Kansas City, KS Fellowship Plans: Trauma, Northern California Orthopedic Associates, Sacramento, CA

BACKGROUND

Biplanar digital slot scanning technology became commercially available in 2007. Its use has become the standard of care at academic centers after studies showed a dramatic reduction in radiation exposure compared to traditional radiographs. Yet, the amount of distortion and reproducibility of this type of imaging modality has yet to be investigated. The purpose of this study was to evaluate the degree of image distortion in sequentially obtained EOS images in the PA and lateral planes by analyzing markers with known dimensions, imaged in different locations in the scanner, and measured by different observers.

METHODS

Four 25mm radio-opaque markers were placed at C3, T1, T12, and L5 on a full-length skeleton. The skeleton was suspended in the biplanar digital slot scanner and imaged in ten different positions within the scanner. This included the center-center position, followed by images where the skeleton was moved first 5cm and then 10cm in the forward, backward, leftward, and rightward directions as referenced to the center of the slot scanner. Five PA and five lateral images were obtained in each of the ten different positions described above. Two orthopaedic attending physicians and three orthopaedic resident physicians then measured the markers for a total of 3200 marker measurements, which were recorded into a database for analysis. Intraclass Correlation Coefficient (ICC) estimates and their 95% confidence intervals were used to examine image distortion. ICC's were used to examine the inter-rater reliability

between the residents and the attending physicians.

RESULTS

Average marker size was 24.77. Image distortion and SEM accounted for approximately 0.5-1.5% of total the measurement. Overall there was good reliability and consistency when looking at markers in different views (ICC .790), planes, and locations within the image. Horizontal measurements were found to be more consistent and have better reliability (ICC 0.881) than vertical measurements (ICC .386). Position within the scanner had minimal impact on the accuracy of the measurements.

CONCLUSIONS

All imaging modalities are associated with error. This study demonstrates that there is minimal error due to performance of the measurement, as well as that due to the imaging modality. Biplanar slot scanning technology did have a tendency to underestimate the size of the object being measured, however, this is not clinically relevant as the least accurate location and measurement direction only erred by 1.5% from the true length. This contradicts both our study looking at image distortion in MCGR patients as well as Michael et al's study on SEM in spine length measurements. Indicating that the sources of error in those cases are likely due to patient specific factors. Measurements made in biplanar slot scanning machines used for sequential imaging analysis should continue to be approached with caution, and every effort should be made to minimize patient specific sources of error such as motion and sway.

Samaritan Health Services Chief Residents and Senior Projects

Incidence of Marijuana Product Use in a Patient Population Undergoing Total Joint Arthroplasty in a Marijuana Legal State. Williams M; Ryan J.



Mark Williams, DO

Hometown: Kennesaw, GA Medical School: Philadelphia College of Osteopathic Medicine, Philadelphia, PA Fellowship plan: Adult Reconstruction, University of Louisville, Louisville, KY

INTRODUCTION

Marijuana product usage is a controversial topic within the medical community as is the topic of pain control and products used to control pain. Patients undergoing orthopedic procedures and more specifically, total joint arthroplasty are commonly prescribed opioids pre-operatively for joint-related pain and then again for post-operative pain. Given the current opioid epidemic, multi-modal strategies for treatment of arthritis and joint related pain are at the forefront of orthopedics today. These strategies primarily aim to reduce post-operative narcotic pain medication use. After the legalization of recreational marijuana product use in Oregon on July 1, 2015 these products are being used more openly by patients undergoing total joint arthroplasty. There is no published literature on the incidence of recreational marijuana product use in patients undergoing total joint arthroplasty and how this may relate to their pre or post-operative narcotic pain medication requirements.

METHODS

This is a retrospective review of a single, fellowshiptrained, adult reconstruction surgeon's practice. One year of pre-operative history and physical notes of patients undergoing primary or revision hip and knee arthroplasty within the time period of January 1, 2017 to December 31, 2017 were reviewed (296 total patients). If a patient underwent multiple surgeries within the study timeframe, only their most recent surgery was included. Data was collected on pre-operative marijuana use, pre-operative narcotic pain medication use, and narcotic pain medication use at three months post-operatively. The rate, frequency, and type of marijuana product usage was noted when available. The Oregon Prescription Drug Monitoring Database was used to check narcotic pain medication prescriptions pre and post-operatively.

RESULTS

The data collected over one year demonstrated that the overall incidence of preoperative marijuana product usage in patients undergoing total joint arthroplasty was 15.0% (44 patients out of 296). Associations between marijuana use and preoperative opioid use, post-operative opioid use, alcohol use, and tobacco use were tested with Pearson's Chi-squared, and with Fisher's Exact test when expected cell sizes were smaller than 5. When variables were statistically significant, relative risk and 95% confidence intervals was used to estimate the magnitude of the association. Pre-operative opioid use was significantly associated with marijuana use (p=.03). Compared with patients taking neither opioids nor tramadol, patients taking any opioid were 1.94 times as likely to use marijuana (95% CI = 1.07-3.50) and patients taking only tramadol were 2.26 times as likely to use marijuana (95% CI = 1.04-4.90) as patients taking no prescription pain medication. There was a trend of greater tobacco use among marijuana users, though this was of borderline statistical significance (p=.05). Continued

post-operative opioid use at 3 months (p=.61) and alcohol use (p=.82) were not significantly associated with pre-operative marijuana use.

CONCLUSION

The overall incidence of a marijuana product use in patients undergoing total joint arthroplasty was 15.0%. This incidence was slightly lower than the average of 19% active users in Oregon according to the 2019 Oregon Health Authority facts sheet regarding marijuana use. Patients who were using pre-operative narcotic pain medications or tramadol were more likely to use marijuana products, but marijuana use was not significantly associated with continued post-operative opioid pain medication use. Orthopedic surgeons performing hip and knee arthroplasty procedures in states that have legalized recreational marijuana should be prepared to openly address the use of these products by their patients in the perioperative period.



OHSU Residents (PGY-4 to PGY-1)

PGY-4 Class



Torgom Abraamyan, MD Hometown: Glendale, CA

Medical School: Washington University, OHSU, Portland, OR St. Louis, MO

Fellowship Plans: Sports Medicine, Southern California Orthopedic Institute, Van Nuys, CA



Trevor Barronian, MD Hometown: Seattle, WA

Medical School:

Fellowship Plans: Total Joint Arthroplasty, Rothman South Jersey, Atlantic City, NJ



Jason Laurita, MD Hometown: Camden, ME

Medical School: Dartmouth Medical School, Hanover, NH

Fellowship Plans: No fellowship



Michael Robbins, MD Hometown: Paradise, CA

Medical School: University of California, Davis, CA

Fellowship Plans: Hand/Upper Extremity, University of Utah, Salt Arthroplasty, Reno Lake City, UT



Sean Sterrenberg, MD Hometown: Silverton, OR

Medical School: University of Washington, Seattle, WA

Fellowship Plans: Orthopedic Clinic, Reno, NV

PGY-3 Class



Sam Cheesman, MD Hometown: Muncie, IN

Medical School: Indiana University, Indianapolis, IN



Ryan Hadden, MD Hometown: Salem. OR

Medical School: University of Alabama, Birmingham, AL



Sam Moulton, MD Hometown: Eugene, OR

Medical School: OHSU, Portland, OR



Erik Woelber, MD Hometown: Anchorage, AK

Medical School: University of Washington, Seattle, WA



Natalie Zusman, MD Hometown: Portland. OR

Medical School: OHSU, Portland, OR

OHSU Residents (PGY-1 to PGY-4)

PGY-2 Class



Elliott Cole, MD Hometown: Memphis, TN

Medical School: University of Tennessee, Memphis, TN



Derek Bond, MD Hometown: Hillsboro, OR

Medical School: OHSU, Portland, OR



Loren O. Black, MD Hometown: Portland, OR

Medical School: OHSU, Portland, OR



Connor Pihl, MD Hometown: Juneau, AK

Medical School: University of Washington, Seattle, WA



Jamil Kendall, MD Hometown: St. Thomas, Virgin Islands

Medical School: Howard University, Washington, DC

PGY-1 Class



Michelle Lawson, MD Hometown: Seattle, WA

Medical School: University of Rochester, Rochester, NY



Danielle Peterson, MD Hometown: Mill Creek, WA

Medical School: University of Washington, Seattle, WA



Frank Rodgers, MD Hometown: Columbia, SC

Medical School: University of South Carolina, Columbia, SC



Laura Sokil, MD Hometown: Lower Merion, PA

Medical School: Thomas Jefferson University, Philadelphia, PA



Naomi Turner, MD Hometown: Bloomington, MN

Medical School: University of Minnesota, Minneapolis, MN

Samaritan Health Services Orthopaedic Surgery Residents (PGY-4 to PGY-1)

PGY-4 Class



Justin Brohard, DO Hometown: Decatur, IL

Medical School: Western University of Health Sciences, Pomona, CA

Fellowship Plans: Foot and Ankle, University of Washington at Harborview, Seattle, WA



Shaun Conley, DO Hometown: St. Louis, MO

Medical School: Rocky Vista University of Osteopathic Medicine, Parker, CO

Fellowship Plans: Pediatrics, Children's Hospital, Los Angeles, CA



Justin Than, DO Hometown: San Jose, CA

Medical School: Western University of Health Sciences, Lebanon, OR

Fellowship Plans: Total Joints, Cedar Sinai, Los Angeles, CA

PGY-3 Class



Andrew Hadeed, DO Hometown: Los Gatos, CA

Medical School: West Virginia School of Osteopathic Medicine, Lewisburg, WV

Fellowship Plans: Trauma



Tyler Petersen, DO Hometown: Vancouver, WA

Medical School: Western University of Health Sciences, Lebanon, OR

Fellowship Plans: Trauma



Babe Westlake, DO Hometown: Sparks, NV

Medical School: Western University of Health Sciences, Lebanon, OR

Fellowship Plans: Arthroplasty/ Oncology

Samaritan Health Services Orthopaedic Surgery Residents (PGY-1 to PGY-4)

PGY-2 Class



Taylor Brown, DO Hometown: Appleton, WI

Medical School: Kansas City University, Kansas City, MO



Teigen Goodeill, DO Hometown: Centralia, WA

Medical School: Pacific NW University of Health Sciences, Yakima, WA



Jared Sanderford, DO Hometown: Greeley, CO

Medical School: Rocky Vista University of Osteopathic Medicine, Parker, CO

PGY-1 Class



Christopher Canario, DO Delaney Keane, DO Hometown: Newark, CA

Medical School: Rocky Vista University of Osteopathic Medicine, Parker CO



Hometown: Los Gatos, CA

Medical School: West Virginia School of Osteopathic Medicine, Lewisburg, WV



Alexandra Scoles, DO Hometown: Sonora CA

Medical School: Rocky Vista University of Osteopathic Medicine, Parker CO

Surgeon-controlled, handheld intelligence for a modern, robotic approach

Smith-Nephew

CORI Surgical System Implant Planning 0 SmithNephew wirney II BCS External evention 3

There's nothing artificial about our intelligence.

*Pending 510k clearance for TKA °Trademark of Smith+Nephew

Alumni Updates: Class of 2017



JOHN COX, MD

After an amazing fellowship year at Scripps Clinic in San Diego, like many people I got bit by the California bug and couldn't leave. I now work and live in the Bay Area for Kaiser Permanente. I primarily do hip and knee arthroplasty with a mix of fractures, hand injuries, and infections from call. Since the end of residency, I met the love of my life and we recently got married.

You will remember residency as having some of the most challenging and rewarding times of your life. Orthopedics is truly fulfilling, and I am eternally grateful for having the opportunity to be in this field. OHSU does a remarkable job preparing you and you will leave a skilled, knowledgeable, and empathetic surgeon thanks to their amazing faculty and leadership. Moving forward, it is important to get a solid perspective from each practice type when deciding on your first job. I am happy to talk to anyone about working for Kaiser (each area is managed independently and vary quite a bit). Thank you everyone at OHSU and hope to see you all soon!



RYLAND KAGAN, MD

After graduation three years ago, I spent a year at the University of Utah for a fellowship in adult reconstruction and hip preservation under the mentorship of Dr. Chris Pelt, Dr. Jeremy Gililland, and my fellowship director Dr. Chris Peters. The experience of being a guest in another would-class hospital gave me guidance as to how to balance a busy clinical volume with pushing our field forward with impactful research.

When I left the OHSU orthopaedic residency program, I knew I'd be back here, in my home city, practicing alongside my mentors. I returned to Portland to work alongside my esteemed senior partners, Dr. Thomas Huff and Dr. Kathryn Schabel. Their guidance has been invaluable as I navigate these first years and focus my practice on hip and knee reconstruction. Due to their years of work we are excited to be on the precipitous of having a full research team and this will allow us to participate in multi-center national and international collaborative clinical research. We also are extremely excited to have our first adult reconstruction fellow start this coming fall.

Currently, I divide my time between OHSU and our partner in East Portland, Adventist Hospital. Although unexpected, my time at Adventist has provided me a welcome counter balance to the complex sub-specialized patient population that OHSU serves.

Through every step of my medical journey, my wife Kelsey has been by my side. Together we adopted two large rescue dogs who keep us active with neighborhood runs and longdistance road trips. We are fanatics of desert dirt roads and snowy mountain tops and when we aren't working, we are likely wandering around the backcountry in our camper. The four of us have climbed the highest peak in Utah, swam in just about every lake in the Pacific Northwest, biked along the Arizona-Mexico border, and fished in the choppy waters of the Gulf of Alaska. I'm excited for my future career with OHSU and the adventures to come with my family.



JOE LANGSTON, MD

I remember reading these alumni updates as a resident and finding it hard to imagine my future self at that point. Even now, it's hard to believe how far I've come. I often find myself thinking about how lucky and privileged I am to have made it through the arduous journey of becoming a surgeon.

After residency, I ventured to Melbourne, Australia to complete my hip and knee reconstruction fellowship. Expanding my knowledge of primary and revision arthroplasty was the goal, but I accomplished so much more. My time abroad with my wife (Kim) and 2 children (Farrah and Zev, now 7 and 5) brought us closer together as a family, as we navigated the unknown of living in a new country, and gave us so many amazing memories that we will cherish for the rest of our lives.

Upon my return to the US, I moved to Ashland, Oregon and began private practice with Southern Oregon Orthopedics. I had always heard the first year in practice was the most challenging and educational of your entire career, including residency, and I can vouch that the statement is 100% true. You are truly put to the test in countless ways, not only measuring your medical knowledge and surgical skill, but also discovering your resilience and refining the lifelong learning required for the job.

As an eager young surgeon in the first year of practice, you're ready to take on anything that comes your way. A

significant portion of my practice in the first year was general orthopedics. In addition to primary and revision joint replacement, I was doing everything from hip arthroscopy for FAI, ACL reconstructions, knee scopes, and basically any fracture care from a pelvic ex-fix (on my first night of call as an attending – long story) to tibial plateau fractures and even pediatric elbow pinnings and spica casts for pediatric femur fractures.

There was a never-ending stream of challenges that came my way, but my confidence in approaching these cases stemmed from my education with the attendings I had worked with over the 5 years I spent at OHSU. My gratitude toward my OHSU mentors who shaped my surgical skills and taught me the art of orthopedics cannot be understated. They helped me become the surgeon that I am today and I am honored to now call them colleagues.

My time in Southern Oregon was brief, but still instrumental in my career during that first year of practice. An opportunity arose for me to move across the country once again to Denver, Colorado and my family and I decided to take it. I am now working at Kaiser Permanente and focus on mostly primary and revision joint replacement, but also still do general orthopedic trauma. I focus on patient-centered care through shared decision-making, enabling patients to align their personal preferences and values with the appropriate evidence-based treatment plan.

I will always look back at my time in residency with a deep appreciation. My resident cohort was the best that I could ask for and we've developed lifelong friendships that will continue to grow in years to come. Those 6am meetings every day were demanding and the expectations placed on residents were unremitting; now that I've made it to the other side, I wouldn't have it any other way. My advice to the younger generation is to be mindful of the opportunity provided to you at OHSU. My education was far and above anything I could have expected. Don't take any learning experience for granted because you never know what your future holds. Sometimes, the obstacle is the way and you will be better because of it.



MICHAEL ROSE, MD

I can't believe it has been three years since I finished residency. Where has the time gone? At times it feels like only yesterday. After graduation, my wife Sarah and I moved to Denver where I completed a sports medicine fellowship at the Steadman Hawkins Clinic. There, I was able to hone my arthroscopic and clinical skills as well as help take care of the Denver Broncos and Colorado Rockies. My skiing also got considerably

better. I guess it's true what they say about fellowship... after Denver, I took a job with the CORE Institute and we moved to Phoenix. CORE is a large multi-specialty group that falls into the "privademics" model with resident education and research. It was a great fit and my practice allowed me to immediately focus on sports medicine. I have an interest in hip arthroscopy, and have been working to build that part of my practice over the last year and a half. My goals over the next couple of years are to become more involved in resident education and possibly even help start a sports fellowship at CORE. On the personal side of things, Sarah and I love living in Phoenix. It's paradise 8 months out of the year and hot as hell the other four. When we are not working, we like to do things outdoors, including hiking and playing golf. We bought a house and have taken up desert landscaping, filling our yard with a wide assortment of citrus trees, cacti, and flowering succulents. Additionally, we have finally been able to travel and visited Japan and Spain last year. We want to take at least one big trip every year to see as much of the world as possible. When I look back on my time, it's funny how the long hours and never-ending call weekends have been replaced by fond memories. I truly believe OHSU was a wonderful residency program that prepared me for anything I might face out in practice. I am grateful to support the OJO by sharing our story.



RYAN WALLENBERG, MD

It is crazy to think that it has been 3 years since graduating residency. I have many fond memories from residency and am grateful for the education I received in what seems like such a short period of time. I appreciated the relationships with both residents and faculty during this time and try to maintain them to this day. After graduating residency, I took several months off to prepare for boards and spend some quality time with my family. I started as full-time faculty at the Portland VA in September 2017. I remain here as a general orthopaedist, including primary hip and knee replacements, fracture care, and other sports related procedures. It has been great being able to work alongside Drs Berkson, Anissian, and Gundle and I feel very lucky to have them as

my partners. I have particularly enjoyed being able to spend time with the residents as they rotate through our service. The VA has been a wonderful fit for me to balance both work and family life. My wife, Mckenna, is a radiologist at The Vancouver Clinic, as a women's imager. We have two wonderful (and very energetic) kids. My daughter, Elliot, is three and a half years old and my son, Oliver, is one and a half. They keep us very busy at home but it has been very fulfilling and I wouldn't change a thing. I wanted to personally thank all of the faculty at OHSU for the countless hours they spent in clinic and the OR to prepare us for the real world as orthopaedic surgeons. I especially want to thank Dr. Yoo and Dr. Friess for the continued devotion they have to the residency program.





KATE DEISSEROTH, MD

After graduating from OHSU, I moved to Anchorage Alaska to begin a General Orthopedics practice at Elmendorf Air Force Base. It is here I had my two boys and enjoyed exploring the outdoors in a true wilderness state. I separated from the Air Force after 14 years as a Lt Col in 2017, after a move to Andrews AFB in Maryland. More recently I started to work in the VA system in Pennsylvania. My practice has morphed to the needs of my changing population and now is mostly joint replacements. I still enjoy the outdoors and am always looking for new places to travel with my kids!



BENJAMIN KAM, MD/MPH

If there's anything my training at OHSU prepared me well for—learning under three different Chairmen, starting a family during residency, etc.—it's adaptability and change.

After graduation I went directly back on to active duty in the US Air Force, first taking an overseas assignment in Japan, followed by the USAF Academy in Colorado, and Alaska. Overseas was culturally rich, but not very surgically busy, so my real growth as a surgeon was in Colorado. During that time, we took care of division I sports, I got re-acquainted with joint replacement, and was deployed to a combat support hospital in Afghanistan. I was quite involved with the Society of Military Orthopaedic Surgeons and helped develop the jointly taught Disaster Response Course and online toolkit. We moved on to Alaska where in addition to my practice, I took command of surgical operations and also fulfilled a position on the Board of Counselors with the AAOS. For the past 12 years I also periodically returned

to Oregon, doing locums in a small rural hospital in Florence, OR. I retired from active duty in 2016 and am now in full time general orthopaedics practice in Colorado Springs. Our oldest (Zane) is now a sophomore at the USAF Academy. We still have a high school senior (Kai) and freshman (Ellie) in the house.

Despite lacking a formal fellowship on my CV, I learned, trained, and added hip arthroscopy and direct anterior THA due to a need in the community and am the lead surgeon for our hospital's robotic joint replacement program here in Colorado Springs.

Our time in residency was precious to me, and while I learned quite a bit of surgery and clinical care, I do think it mostly provided a great foundation for a lifetime ability to learn, adapt, and grow with the needs of my community. I'm amazed and so happy with how the department has grown and have every expectation that OHSU will continue to foster and develop great othopaedic surgeons for our communities.



ANDREW SCHMIDT, MD

I don't recall exactly what I said when I gave my "speech" at the OHSU Orthopaedic graduation dinner in June 1993, but I am pretty sure I did not say that I was looking forward to spending the next 27 years in Minnesota, which is exactly what happened. I am married to another OHSU alum, Dr. Jamie Lohr (Pediatrics, '91), and we ventured to the north woods to do fellowships. I did my fellowship with Dr. Richard Kyle in total joints, but I was also had the opportunity to do a lot of trauma, which were the two things that I was most interested in. Jamie completed her 4-year pediatric cardiology fellowship at the University of Minnesota. Despite our initial goal of returning to Portland (or at least the West Coast) once we were done with our training, we both took the path of least resistance and became faculty members at our respective institutions.

We have two children. Our oldest, Michael, was born in 1991, while we were residents. Our daughter, Katherine, was born 5 years later, after fellowships were done. Michael is an aerospace engineer, and Katherine is pursuing an MSN/RN at Rush University.

I have been privileged in my career to have fantastic mentors, including many from my time at OHSU. To this day, I relate to the Minnesota orthopaedic residents lessons that Dr. Beals taught me, among which are that you can say a lot with a few words, and that culture and expectations are important. Dr. Duwelius was instrumental in introducing me to Dr. Kyle, who accepted me as his fellow based on a phone-call that Dr. Duwelius took the time to make (another important life-lesson). Drs. Keenen, Aiona, Colville, Woll, Vincent, and Guyer all were fantastic teachers and I still am thankful for things that each of them taught me.

Currently, I enjoy a busy clinical practice in total joint replacement and trauma, have been active in clinical research (much of it related to acute compartment syndrome). I now spend my "spare time" speaking, writing and editing. As a family, we have always enjoyed skiing and traveling. Our most recent adventure was a family trip to visit Antarctica in Dec 2018. We hope to make our next journey to the Arctic region.

My wife and I both miss OHSU. When visiting Portland last summer, we unexpectedly had an opportunity to experience the new Emergency Room and the Center for Health and Healing after Jamie suffered an ankle fracture. Sam did a great job splinting her in the ED, and Dr Friess was able to repair her fracture a couple of days later. She even made it to her pediatric meeting at Skamania Lodge the day after her surgery. My wife and I both have a lot of gratitude for OHSU Orthopaedics.

OHSU Beals Lectureship



High School

Residency



Department Chief



Consummate surgeon and dedicated teacher to his last day

The Beals memorial lectureship is an annual event established in honor of the late Rodney K. Beals, MD, Professor Emeritus in the Department of Orthopaedics & Rehabilitation at Oregon Health & Science University, who taught orthopaedics for more than 50 years. Dr. Beals was a lifelong "Oregonian" and spent his entire professional career practicing orthopaedic surgery in Portland, OR. Dr. Beals was a committed clinician, master surgeon, revered educator and accomplished researcher. It was not only out of respect for his scientific accomplishments, but for his humble guidance and mentorship that the OHSU Department of Orthopaedics & Rehabilitation established the annual Beals Memorial Lecture Series.

Dr. Beals attended Willamette University for his undergraduate training, graduating in 1952, and received his medical degree from the University of Oregon Medical School (precursor to OHSU) in 1956. He completed his internship at Minneapolis General Hospital followed by a General Surgical Residency in San Bernadino County Hospital in California. He ultimately completed his training in Orthopaedic Surgery at the University of Oregon Medical School in 1961. Dr. Beals immediately joined the faculty and rapidly rose through the ranks at OHSU, serving as Head of the Division of Orthopedics from 1981 to 1994. Dr. Beals also served as the first chairman for the Department of Orthopaedic Surgery at OHSU in 1994. At the age of 77, he remained an active member of the Orthopaedic faculty at OHSU until the time of his passing on August 7, 2008.

Dr. Beals was an accomplished researcher throughout his career. He was nationally recognized for his research on skeletal manifestations of growth disturbances in children. He authored more than 150 peer-reviewed publications. Dr. Beals was also a revered educator. During his tenure at OHSU, he helped train more than 150 orthopaedic surgeons in residency. He also helped thousands of patients and mentored countless numbers of medical students. Throughout his remarkable career, Dr. Beals represented and personified excellence in medicine and orthopaedic surgery.

It is unfortunate that the 2020 Beals Memorial Seminar had to be cancelled due to Covid-19.

Shriners Hospital for Children - Beattie Lecture Series



Guest Lecturer 2019 Brian Snyder, MD

Mr. Byron J. Beattie was the owner and operator of a printing plant in Portland, Oregon. Mr Beattie became acquainted with Dr "French" Eldon Chuinard, while Dr Chuinard was the chief of staff at Shriners Hospital for Children, Portland. He was so impressed with the importance of the educational mission of Shriners Hospital that he created an endowment fund to support our local education activities. The first seminar was held in 1985.

BEATTIE GUEST LECTURER 2019 Brian Snyder, MD

Brian Snyder MD/PhD is a Board Certified Pediatric Orthopaedic Surgeon on staff at Boston Children's Hospital, where his clinical practice focuses on congenital and acquired deformities about the hip, spine and appendicular skeleton as consequence of genetic and neuromuscular diseases as well as pediatric trauma.

He is Professor of Orthopaedic Surgery, Harvard Medical School and a Research Professor of Biomedical Engineering, Boston University, School of Engineering. The Center for Advanced Orthopaedic Studies, that he previously directed, is a multi-disciplinary core research facility associated with the Departments of Bioengineering at Harvard University, Massachusetts Institute of Technology, Boston University, Harvard Medical School and the Harvard Combined Orthopaedic Residency Program.

The Laboratory focuses on basic and applied research in musculoskeletal biomechanics. His translational research program merges the analytic techniques developed in the laboratory with the innovative diagnostic and surgical techniques developed at Boston Children's Hospital for treating musculoskeletal diseases. He has been principal investigator of NIH/NCI RO1, NIH/NIAMS R21, R01, NASA, DoD, private foundations (Whitaker, OREF, Susan B Komen, AO/ ASIF, Coulter, POSNA, SRS) and industry sponsored grants.

In addition to representing the Board of Orthopaedic Specialty Societies to the FDA and Device Forum, he is a member of the NIH/NIAMS Tissue Engineering Study Section and the SBIR/STTR panel that evaluates orthopaedic devices and biologics.

Shriners Hospital for Children – Dillehunt Memorial Lecture



58TH ANNUAL DILLEHUNT MEMORIAL LECTURE

The Dillehunt Memorial Lecture honors the contribution of a great surgeon and legendary teacher, Dr. Richard Dillehunt, who inspired many orthopaedists. With his keen interest in medical education, he played a prominent role in the development of the medical school on the hill. He was particularly devoted to children and was instrumental in the establishment of the Shriners Hospitals for Children, Portland. He became Shriners first Chief Surgeon in 1920, and served in that position until his retirement in 1943. His legacy continues through the Dillehunt Memorial Trust Fund, sponsoring visiting distinguished Pediatric Orthopaedic Surgeons from throughout the world.

It is unfortunate that the 2020 Dillahunt Memorial Lecture had to be cancelled due to Covid-19.



LEO S. LUCAS OUTSTANDING ORTHOPAEDIC EDUCATOR AWARD: Presented to the faculty member most instrumental in the development of future orthopaedic surgeons.

MORRIS HUGHES AWARD: Presented to the resident who best demonstrates concern for patients and for education of the next generation of physicians.

RESEARCH AWARD: Presented to the resident recognized for a commitment to the development, execution and publication of original research during residency.

RODNEY BEALS AWARD: Awarded yearly by faculty to the best resident based on intelligence, quality of work, work ethic, and effect on the environment.

YEAR	LEO S. LUCAS	MORRIS HUGHES	RESEARCH AWARD	RODNEY BEALS AWARD
2007	Tom Ellis	Rob Tatsumi	Joseph Schenck	
2008	Dennis Crawford	Stephan Pro	Kate Deisseroth	
2009	Darin Friess	Stephan Pro	N/A	
2010	Amer Mirza	Gary Kegel Gregory Byrd	Patrick Denard	
2011	James Hayden	Jayme Hiratzka	Jayme Hiratzka Matthew Harrison	
2012	Jesse A. McCarron	Luke Rust	Dawson Brown Matthew McElvany	
2013	James Hayden	Laura Matsen Ko Jacqueline Munch	Adam Baker	
2014	Adam Mirarchi	Rich Myers	Trevor McIver	
2015	Kathryn Schabel	Dustin Larson	Alexander DeHaan	
2016	Paul Duwelius	Jacob Adams	Thomas Kowalik	
2017	Jacqueline Brady	Ryland Kagan	Michael Rose	
2018	Darin Friess	Dayton Opel	Derek Smith	Elizabeth Lieberman
2019	Kenneth Gundle	Elizabeth Lieberman	Shanjean Lee	Taylor Lara

OHSU RESEARCH AND INNOVATION AWARD - RECIPIENTS FROM THE DEPARTMENT OF ORTHOPAEDICS AND REHABILITATION:

ELECTED CHAIR OF THE COLLEGE OF FELLOWS

Brian Johnstone, recognized by the International Combined Orthopedic Research Societies

YOUNG INVESTIGATOR AWARD

Ryland Kagan, recognized by the Western Orthopaedic Association

22ND ANNUAL FRANK B. SMITH RESEARCH AWARD

Adam Mirarchi, recognized by the North Pacific Orthopaedic Society

KATHRYN CRAMER CAREER DEVELOPMENT AWARD

Zachary Working, recognized by AO Trauma North America

GRADUATE	FELLOWSHIP TRAINING	CURRENT PRACTICE LOCATION
2019		
Courtney Bell	Adult Reconstruction – Rothman Institute, Egg Harbor, NJ	
Shanjean Lee		VA Sierra Nevada Healthcare System, Reno, NV
Elizabeth Lieberman	Adult Reconstruction - Washington University, St. Louis, MO	
Peters Otlans	Sports Medicine – Jefferson University, Philadelphia, PA	
Travis Phillip	Spine – New York University, New York, NY	

2018		
Hannah Aultman	Hand & Upper Extremity – University of Chicago, Chicago, IL	Orthopedic + Fracture Specialists, Portland, OR
Karlee Lau	Hand & Upper Extremity – University of Alabama, Birmingham, AL	University of Alabama, Birmingham, AL
Dayton Opel	Hand & Upper Extremity – Cleveland Clinic, Cleveland, OH	SSM Health, Madison, WI
Derek Smith	Hand Surgery - Mary S. Stern. Cincinnati, OH	Desert Orthopedics, Bend, OR
Benjamin Winston	Arthroplasty – Tahoe Reno Orthopedic Clinic, NV	Kaiser Permanente, Portland, OR

2017		
John Cox	Adult Reconstruction - Scripps Health, San Diego, CA	Scripps Health, San Diego, CA
Ryland Kagan	Adult Hip and Knee Reconstruction and Hip Preservation – Univ. of Utah, Salt Lake City, UT	Oregon Health & Science Univ., Portland, OR
Joseph Langston	Adult Reconstruction – Melbourne Orthopaedic Group, Melbourne Australia	Southern Oregon Orthopedics, Medford, OR
Michael Rose	Sports Medicine – Steadman Hawkins Clinic, Denver, CO	The CORE Institute, Phoenix, AZ
Ryan Wallenberg	Orthopedics – St. Vincent Hospital, Portland, OR	VA Portland Health Care System, Portland, OR

2016		
Jake Adams	Adult Reconstruction - Mayo Clinic, Scottsdale, AZ	Regenerative Orthopaedic Center, Tualatin and Oregon City, OR
Kirsten Jansen	Adult Reconstruction - Indiana University, Indianapolis, IN	STL Orthopedics, Chesterfield, MO
Tom Kowalik	Trauma & Adult Reconstruction - Orthopedic + Fracture Specialists, Portland, OR and Sydney Australia Arthroplasty & Trauma	Tuality Orthopaedic, Sports, Spine & Rehabilitation Center, Hillsboro, OR
Jared Mahylis	Shoulder & Elbow - Cleveland Clinic, Cleveland, OH	Specialty Physicians of Illinois, Olympia Fields, IL
Farbod Rastegar	Spine - Cleveland Clinic, Cleveland, OH	Aurora Orthopaedics, Grafton, WI

2015		
Alex DeHaan	Adult Reconstruction - Tahoe Reno Arthroplasty Fellow, Reno, NV	Orthopedic + Fracture Specialists, Portland, OR
Troy Miles	Adult Reconstruction - UC Davis, Davis, CA	Shasta Orthopaedics, Redding, CA
Dustin Larson	Hand and Upper Extremity - Univ. of New Mexico, Albuquerque, NM	Olympic Medical Physicians Orthopaedic Clinic, Port Angeles, WA
Vivek Natarajan	Pediatrics - Childrens Hospital of Pittsburgh, PA	Advocare – The Orthopaedic Center, Cedar Knolls, NJ
John Seddon	Foot & Ankle - Melbourne Orthopedic Group, Melbourne, Vic, Austrailia	UC Health Orthopaedics Clinic, Colorado Springs, CO

2014		
Zachary B. Domont	Sports Medicine - Univ. of Pennsylvania, Philadelphia, PA	AMG-Lincolnshire Orthopedics, Lincolnshire, IL
Jia-Wei Kevin Ko	Shoulder & Elbow - Rothman Institute, Thomas Jefferson Univ., Philadelphia, PA	Orthopedic Physician Associates, Seattle, WA
Trevor C. McIver	Spine - Spine Institute of Arizona, Scottsdale, AZ	St. Cloud Orthopedics, Sartell, MN
Richard J. Myers	Orthopaedic Trauma - Univ. of Maryland, College Park, MD	Sentara Orthopedic Trauma Specialists, Norfolk, VA
Brent M. Roster	Foot & Ankle - Univ. of California Davis Medical Center, Sacramento, CA	Missoula Bone and Joint Clinic, Missoula, MT

2013		
Adam P. Baker	Foot & Ankle - Northwest Orthopedic Specialists, Portland, OR	Kaiser Permanente, Portland, OR
Michael Kuhne	Trauma Orthopedics - Univ. of California, San Francisco General Hospital, San Francisco, CA	Enloe Medical Center, Chico, CA
Laura J. Matsen Ko	Adult Reconstruction - Thomas Jefferson Univ., Philadelphia, PA	Orthopedic Physician Associates, Seattle, WA
Jacqueline Brady (Munch)	Shoulder Surgery, Sports Medicine - Hospital for Special Surgery, New York, NY	Oregon Health & Science Univ., Portland, OR
Daniel C. Wieking	Foot & Ankle - Melbourne Orthopaedics, Melbourne Australia	Asante Physician Partners, Grants Pass, OR

2012 Dawson S. Brown Sports Medicine - Southern California Orthopedic Institute, Van Nuys, CA West Sound Orthopedics, Silverdale, WA Dates D. Enderida Termes Orthopedic Institute, Van Nuys, CA West Sound Orthopedics, Silverdale, WA			
Dawson S. Brown Sports Medicine - Southern California Orthopedic Institute, Van Nuys, CA West Sound Orthopedics, Silverdale, WA Dates D. Enclosida Turuma Orthopedic Institute, Van Nuys, CA West Sound Orthopedics, Silverdale, WA			
	e - Southern California Orthopedic Institute, Van Nuys, CA West	wson S. Brown Sports Medicine - Southern California Orth	West Sound Orthopedics, Silverdale, WA
Peter D. Fredericks Irauma Orthopedics - Indiana Orthopaedic Hospital, Indianapolis, IN UCHealth Orthopaedics Clinic, Colorado Springs, CO	pedics - Indiana Orthopaedic Hospital, Indianapolis, IN UCHealth	er D. Fredericks Trauma Orthopedics - Indiana Orthopae	UCHealth Orthopaedics Clinic, Colorado Springs, CO
Matthew D. McElvany Shoulder & Elbow - Univ. of Washington Medical Center, Seattle, WA Kaiser Permanente, Santa Rosa, CA	pow - Univ. of Washington Medical Center, Seattle, WA Ka	hew D. McElvany Shoulder & Elbow - Univ. of Washington	Kaiser Permanente, Santa Rosa, CA
Cuchulain Luke Rust Foot & Ankle - Orthopaedic Associates of Michigan, Grand Rapids, MI Rebound Orthopedics, Vancouver, WA	Orthopaedic Associates of Michigan, Grand Rapids, MI Rebo	hulain Luke Rust Foot & Ankle - Orthopaedic Associates o	Rebound Orthopedics, Vancouver, WA
2011			
Foot & Ankle - Oakland Bone & Joint Specialist Clinic, Oakland CA: Middlemore	land Bone & Joint Specialist Clinic, Oakland CA: Middlemore	Foot & Apkle - Oakland Bone & Joint Specialis	
Matthew J. Harrison Hospital, Auckland, New Zealand Chi, Hildlehiole Alta Orthopedics, Santa Barbara, CA	Hospital, Auckland, New Zealand	thew J. Harrison Hospital, Auckland, Ne	Alta Orthopedics, Santa Barbara, CA
Jayme R. Hiratzka Spine Surgery - Univ. of Utah, Salt Lake City, UT Oregon Health & Science Univ., Portland, OR	ne Surgery - Univ. of Utah, Salt Lake City, UT Oregon	vme R. Hiratzka Spine Surgery - Univ. of Utah,	Oregon Health & Science Univ., Portland, OR
Jackson B. Jones Adult Reconstruction - Harvard Medical School's Brigham and Women's Hospital, Boston, MA Reno Orthopedic Clinic, Reno, NV	uction - Harvard Medical School's Brigham and Women's Hospital, Boston, MA	ckson B. Jones Adult Reconstruction - Harvard Medical So Hospital, Boston	Reno Orthopedic Clinic, Reno, NV
2010			
Matthew W. Bradley	Orthopedic Sport	thew W Bradley	Orthonedic Sports Medicine & Spine Care Institute St. Louis MO
Crease D. Durden Control Carbon Medical Canter Destance MA	lath Israel December Medical Canter Dector MA		Ohmeneie Orthono dies Ohmeneie M/A
Gregory D. Byrd Hand - Beth Israel Deaconess Medical Center, Boston, MA Olympia Orthopedics, Olympia, WA	eth Israel Deaconess Medical Center, Boston, MA Oly	Hand - Beth Israel Deaconess Media	Olympia Orthopedics, Olympia, vvA
Adam E. Cabaio Spine - Spine Care Medical Group, Daly City, CA Southern Oregon Orthopedics, Medford, OR	the - Spine Care Medical Group, Daily City, CA Souther	dam E. Cabalo Spine - Spine Care Medical Gr	Southern Oregon Orthopedics, Meatora, OR
Patrick J. Denard Orthopaedic Group, San Antonio Orthopaedic Group, San Antonio TX Southern Oregon Orthopedics, Medford, OR	Orthopaedic Group, San Antonio, TX Souther	trick J. Denard Snoulder - Centre Orthopedique Santy, L Orthopaedic Group, San	Southern Oregon Orthopedics, Medford, OR
Gary KegelHand - St Luke's-Roosevelt Hospital Center, New York, NYGroup Health Capital Hill Medical Center, Seattle, WA	it Luke's-Roosevelt Hospital Center, New York, NY Group Healt	Gary Kegel Hand - St Luke's-Roosevelt Hospita	Group Health Capital Hill Medical Center, Seattle, WA
2009			
Stephen L. Pro Sports Medicine - Santa Monica Orthopaedic and Sports Medicine Group, Ortho Kansas, Lawrence, KS	- Santa Monica Orthopaedic and Sports Medicine Group,	tephen L. Pro	Ortho Kansas, Lawrence, KS
Khalid Shirzad Foot & Ankle - Duke Univ. School of Medicine. Durham. NC. Northwest Orthopedic Specialist. Spokane. WA	nkle - Duke Univ. School of Medicine. Durham. NC. Northwe	Khalid Shirzad Foot & Ankle - Duke Univ. School of	Northwest Orthopedic Specialist, Spokane, WA
Abner M. Ward Hand - SUNY Stony Brook Univ. Hospital & Med. Ctr., Stony Brook, NY; Sports Medicine - Southern CA Center for Sports Med., Long Beach, CA; Shoulder & Elbow - Alps Surgery Yosemite Bone and Joint, Inc., Merced, CA and Turlock, C Institute, Annecy, France; Shoulder & Elbow - Schulthess Klinik, Zurich, Switzerland Southern CA Southern CA	Brook Univ. Hospital & Med. Ctr., Stony Brook, NY; Sports Medicine for Sports Med., Long Beach, CA; Shoulder & Elbow - Alps Surgery France; Shoulder & Elbow - Schulthess Klinik, Zurich, Switzerland	Hand - SUNY Stony Brook Univ. Hospital & Med. C bner M. Ward - Southern CA Center for Sports Med., Long Beach, Institute, Annecy, France; Shoulder & Elbow - Soc	Yosemite Bone and Joint, Inc., Merced, CA and Turlock, CA
2008			
Kate B. Deisseroth VA Medical Center, Lebanon, PA		e B. Deisseroth	VA Medical Center, Lebanon, PA
Andy J. Kranenburg Surgery and Trauma - San Francisco Spine Institute. San Francisco. CA Southern Oregon Orthopedics. Medford, OR	auma - San Francisco Spine Institute. San Francisco. CA Souther	lv J. Kranenburg Surgerv and Trauma - San Francisco Spin	Southern Oregon Orthopedics, Medford, OR
Kenna Larsen Hand - Univ. of New Mexico, Albuquerque, NM Utah Orthopaedics, Ogden, UT	nd - Univ. of New Mexico, Albuquerque, NM	Kenna Larsen Hand - Univ. of New Mexico,	Utah Orthopaedics, Ogden, UT
William Magee Sports Medicine -TRIA Orthopaedic Center, Park Nicollet Methodist Hospital, Minneapolis, MN Rockwood Clinics, Spokane, WA	I RIA Orthopaedic Center, Park Nicollet Methodist Hospital, Minneapolis, MN	Villiam Magee Sports Medicine -I RIA Orthopaedic Center, Minneapolis, N	Rockwood Clinics, Spokane, WA
J. Rafe Sales Spine-San Francisco Spine Institute, San Francisco, CA Summit Spine, Portland, OR	San Francisco Spine Institute, San Francisco, CA	J. Rafe Sales Spine-San Francisco Spine Institu	Summit Spine, Portland, OR
Sports Medicine - Perth Orthopaedic Sports Medicine Center, Perth, Australia and Arthroscopic Surgery and Computer Navigated Total Joint Arthroplasty - Sir Charles Gairdner Hospital, Nedlands, Western AustraliaOrthopedic & Sports Medicine, Portland, OR	Perth Orthopaedic Sports Medicine Center, Perth, Australia urgery and Computer Navigated Total Joint Arthroplasty - Sir Gairdner Hospital, Nedlands, Western Australia	Sports Medicine - Perth Orthopaedic Sports and Arthroscopic Surgery and Computer Navi Charles Gairdner Hospital, Nedlar	Orthopedic & Sports Medicine, Portland, OR
Robert L. Tatsumi Spine - LA Spine Institute, Santa Monica, CA Oregon Spine Care, Tualatin, OR	pine - LA Spine Institute, Santa Monica, CA C	bert L. Tatsumi Spine - LA Spine Institute, Sa	Oregon Spine Care, Tualatin, OR
2006			
Catherine A. Humphrey Trauma - Vanderbilt Univ. Medical Center, Nashville, TN Univ. of Rochester, Medical Center, Rochester, NV	- Vanderbilt Univ. Medical Cepter Nashville TN	rine A. Humphrey Trauma - Vanderhilt Univ Medical	Univ. of Rochester Medical Center, Rochester, NY
Amer I Mirza Trauma - Harborview Medical Center Seattle WA Summit Orthonaedics I LP Portland OR	ma - Harborview Medical Center, Restrike, MA	Amer I Mirza	Summit Orthopaedics LLP Portland OR
Mark B. Wagner Orthopedics, NW. Tigard. OR		lark B. Wagner	Orthopedics NW. Tigard. OR
		<u> </u>	· · · · · · · · · · · ·
Patrick A. Dawson Upper Extremity and Sports Medicine - Congress Medical Associates, Pasadena, CA Cascade Orthopaedic Group, Tualatin, OR	d Sports Medicine - Congress Medical Associates, Pasadena, CA Casca	ITICK A. Dawson Upper Extremity and Sports Medicine - Congres	Cascade Orthopaedic Group, Tualatin, OR
Suresh Kasaraneni Christopher M. Lletch Surgiel Sensing Davis Monthen AER Tursen AZ	sal Saniicas Davis Manthan AER Tussen AZ	tophar M. Unteh	Scott Memorial Hospital, Scottsburg, IN
Correy J Vande Zandschulp Trauma - Ortholody Methodist Hospital Indiananolis IN Summit Orthonaedics 11.0. Portland OP	- Ortholndy Methodist Hospital Indianapolis IN	Vando Zandechulo Trauma, Ortholody Mathedict He	Summit Orthoppedics, LLP, Portland, OP

GRADUATE	FELLOWSHIP TRAINING	CURRENT PRACTICE LOCATION
2004		
Benjamin C. Kam		Medical Center Point, Colorado Springs, CO
Britton Frome (Polzin)	Hand Surgery - UT Southwestern, Dallas, TX	Colorado Springs Health Partners, Colorado Springs, CO
2003		
Jennifer R. Miller	Sports Medicine - Congress Medical Associates, Pasadena, CA	Idaho Sports Medicine Institute, Boise, ID
John B. Reid	Sports Medicine - Iaos Orthopaedic Institute, Iaos, NM	laos Orthopaedic Institute, Iaos, NM
Eric F. Shepherd	Trauma - UC Davis Medical Center, and Auckland City Hospital, NZ	Santa Barbara Orthopedic Associates, Santa Barbara, CA
2002		
Michael A. Binnette	Spine - Univ. of Washington, Seattle, WA	OA Center for Orthopaedics, Portland, ME
Kevin M. Kahn	Trauma - Universitatsspital, Zurich Switzerland, Vanderbilt Orthopaedic Inst., Nashville, TN	Rebound Orthopedics & Neurosurgery, Vancouver, WA
Tamara S. Simpson	Trauma - UCSF - Sports Medicine; Hennepin Medical Center, Minneapolis, MN	Cascade Orthopaedic Group, Tualatin, OR
2001		
Michael J. Gustavel	Sports Medicine - San Diego Sports Medicine and Orthopaedic Center, San Diego, CA	Idaho Sports Medicine Institute, Boise, ID
James B. Hayden	Musculoskeletal Oncology - Massachusetts General Hospital, Boston, MA	Oregon Health & Science Univ., Portland, OR
Todd W. Ulmer	Sports Medicine - Univ. of Washington, Seattle, WA	Columbia Orthopedic Associates, Portland, OR
2000		
Mark S. Metzger	Joint, Spine & Tumor - Harvard Medical School, Boston, MA	
Lorenzo L. Pacelli	Hand & Microvascular Surgery - Hand Center, San Antonio, TX	Scripps Clinic Torrey Pines, La Jolla, CA
Edward A. Perez	Trauma - R. Adams Cowley Shock Trauma Center, Baltimore, MD	Campbell Clinic Orthopaedics, Germantown, TN
1000		
1999 Anthony L Colorito	Sporte Madicina, Cincipanti Sporte Madicina and Orthopodic Cincipanti Old	Orthopodie & Sporte Medicine, Dertland, OD
	Shoulder and Elbour Currenty Elevide Orthoppedic Institute Terrors El	Tri Star Cladina Madical Cantar Nachuilla TN
John M. Kloschos	Shoulder and Elbow Surgery - Florida Orthopaedic Institute, Tampa, FL	
JIII A. NIGEI-Graves		
1998		
John D. Curtis		Dory Orthopaedics, Uab Medical West, Bessemer, AL
Darrin F. Eakins	Sports Medicine and Knee - Royal N Shore Hospital, Sydney, Australia	Ortho Wilmington, Wilmington, NC
Ronald D. Wobig	Sports Medicine and Knee - Louisiana State Univ., Lake Charles, LA	Beaver Sports Medicine, Corvallis, OR
1997		
Dennis J. Davin		
Kevin M. Lee		Opper Valley Orthopedics, Rexburg, ID
Ronald L. leed		Cascade Orthopedic Surgery, Hillsboro, OR
1996		
Knute C. Buehler	Lower Extremity Reconstruction - Scripps Clinic and Research Foundation, San Diego, CA	Center Orthopedic & Neurosurgical Care & Research, Bend, OR
Thomas J. Croy		310 Villa Road, Ste 108, Newberg, OR
Marc R. Davidson	Sports Medicine - The Hughston Clinic, Columbus, GA	Advantage Orthopedic and Sports Medicine Clinic, LLP, Gresham, OR
1005		
Douglas D. Doors		Cartez Orthonodias Cartez CO
Pohert A Eactor	Hand and Microvascular Surgery Lloiv of Minnesota MN	Taxas Orthopedics Sports and Rehabilitation Association Austin TV
RUDELLA. FOSTER	India di u microvascular surgery - univ. or Minnesota, Min	rexas or mopeones opones and kenabilitation Association, Austin, TX
Gregory A. Voit	Hanu anu Microvascular Surgery - Univ. of New Mexico Health Sciences Center, Albuquerque NM	

GRADUATE	FELLOWSHIP TRAINING	CURRENT PRACTICE LOCATION
1994		
Robert J. Grondel	Sports Medicine and Shoulder - Mississippi Orthopaedic & Sports Medicine Clinic; Trauma - Emanuel Hospital, Portland, OR	Orthopaedic Institute of Henderson, Henderson, NV
Allen L. Hershey	Lower Extremity Reconstruction - Scripps Clinic and Research Foundation, San Diego, CA	Precision Orthopedics and Sports Medicine, Salinas, CA
Brian J. Padrta	Foot and Ankle - Florida Orthopaedic Institute, Univ. of South Florida, Tampa, FL	Northwest Orthopaedic Specialists, Spokane, WA
Mark R. Rangitsch		Cheyenne Orthopaedics LLP, Cheyenne, WY
1993		
Blaine A. Markee		
Dean K. Olsen		Park Nicollet Orthopaedics, Burnsville, MN
Andrew H. Schmidt	Adult Reconstruction, Shoulder Surgery, Trauma - Hennepin County Medical Center, Minneapolis, MN	Hennepin County Medical Center, Minneapolis, MN
1992		
Edward C. Pino	Sports Medicine - Cincinnati Sports Medicine, Cincinnati, OH; Foot & Ankle - Michigan Internat. Foot and Ankle Center, Detroit, MI	Kaiser Permanente, Denver, CO
Stephen S. Tower		Anchorage Fracture & Orthopedic Clinic, Anchorage, AK
Michael R. Van Allen	Hand and Microsurgery - Univ. of Alabama, Birmingham, AL	Legacy Meridian Park Medical Center, Tualatin, OR
1991		
Ronald R. Bowman		Tigard Orthopedic & Fracture Clinic, Portland, OR
William H. Dickinson		
Richard A. Rubinstein	Methodist Sports Medicine Center, Indianapolis, IN	Providence Portland Medical Center, Portland Knee Clinic, Portland, OR
1990		
1770	Sports Medicine and Arthroscopy - Harvard Medical School Massachusetts	Thomas & Bigler Knee and Shoulder Institute
Gregory T. Bigler	General Hospital, Boston, MA	Las Vegas, NV
Adrian B. Ryan		Anchorage Fracture & Orthopedic Clinic, Anchorage, AK
Theodore S. Woll	Foot and Ankle - Univ. of Washington, Seattle, WA	Rebound Orthopaedics, Vancouver, WA
1989		
James R. Hazel		Tri-City Orthopaedics, Kennewick, WA
Asa E. Stockton		Eureka Community Health Center, Eureka Open Door, Eureka, CA
Keith J. Ure	Joint Replacement - Joint Replacement Institute, Orthopaedic Hospital, Los Angeles, CA	Olympic Medical Center, Sequim, WA
Robert G. Zirschky		Hope Orthopedics of Oregon, Salem, OR
1988		
John D. DiPaola		Occupational Orthopedics, Tualatin, OR
Jeffrey E. Flemming	Texas Southwestern Medical Center - Texas Back Institute, Dallas, TX	Providence Portland Medical Center, Portland, OR
Morris Hughes		
Michael B. Wyman		Orthopedic Specialists, Portland, OR
1987		
Dale G. Bramlet	Orthopaedic & Plastic Surgery, Hand and Upper Extremity - Univ. of Rochester Medical Center, Rochester, NY	Advent Orthopedics, Pinellas Park, FL
Scott B. Jones		Orthopedic & Sports Medicine Center of Oregon, Portland, OR
Stefan D. Tarlow	Knee Surgery - Dr. Jan Gillquist, Sweden; Sport Medicine - Dr. James Andrews, Birmingham, AL	Advanced Knee Care, PC, Scottsdale, AZ
1986		
Mark J. Buehler	Hand - Duke Univ., Durham, NC	Providence Hospital, Portland, OR
Wendell D. Ferguson	Providence Medical Center, Portland, OR	Vallejo Kaiser Medical Center, Vallejo, CA
Paul A. Switlyk	Shoulder - Univ. of Western Ontario, London, ON	Orthopedic & Sports Medicine Center of Oregon, Portland, OR

1985 Stanley J. Neitling Daniel N. Ovadia

1984
Steven J. Bruce
Kenneth A. Hermens
Wendy M. Hughes

1983
Michael J. Grundy
Paul J. Mills
John C. Schwartz

1982
Julie Isaacson
James D. Livermore
John S. Toohey

1981
Christopher A. Blake
Wayne K. Nadamoto
Samuel K. Tabet

1980
Lenart C. Ceder
Jonathan H. Hoppert
Robert W. Jordan

1979
Brian Laycoe
Donald Peterson
James Robbins

1978
Lyle Mason
Edgar K. Ragsdale
Enoch D. Shaw

1977
David L. Noall
Byron K. Skubi
Robert K. Smith
Theodore J. Vigeland

1976

1975

Wayne C. Kaesche Walter A. Smith Stephen J. Thomas

Randy W. Crenshaw John O. Hayhurst Patrick T. Keenan Kelsey C. Peterson Ned R. Schroeder

1974 Thomas W. Hutchinson

Robert J. Porter Frederick L. Surbaugh 1973

James L. Baldwin David A. Haaland Craig MacCloskey

1972 Michael S. Hmura Grant D. Lawton Michael R. Marble

1971 Charles B. Bird Robert G. Chuinard Jim Dineen Ilmar O. Soot

1970

Philip J. Fagan Robert J. Foster Art Hauge Edwin A. Kayser Gerald T. Lisac Ira M. Yount

1969 Thomas E. Fagan Michael H. Graham George W. Ingham Joseph P. Klein Scott Struckman

1968 Benjamin F. Balme

James D. Kunzman James D. Nelson Frederick D. Wade

1967 Michael S. Baskin John W. Gilsdorf John W. Thompson

1966 Charles A. Bonnett McGregor L. Church Don D'Amico

Fred G. Grewe Howard E. Johnson

1965Arthur L. EckhardtJohn HazelRichard L. Mercer

1964 Robert F. Corrigan Richard C. Zimmerman

1963 Donn K. McIntosh Michael R. Rask

1962 Phaen Gambee Norman D. Logan Keith A. Taylor

1961	
Rodney K. Beals	
Thomas A. Edwards	
George Keyes	
Ralph E. Peterson	
	-

1960	
Charles A. Fagan	
Calvin H. Kiest	
Betty J. Hohmann	
Robert W. Straumfjord	
Bud Yost	

1959

Raymond A. Case James V. Harber

1958
Richard G. Gardner
William D. Guyer

1957 Hadley F. Fitch Richard S. Gilbert

1956 William E. Hummel Joseph R. McProuty Jack B. Watkins

1955 Edward A. Attix Max M. Bocek

1954 Howard I. Popnoe Dale D. Popp

1953 Donald D. Smith

1952 Melvin L. Makower

1951
Bob Maris
William E. Snell
James W. Weed

1950 Ralph Thompson

1949Howard CherryBoyd G. HolbrookRichard J. Hopkins

1948
Robert F. Anderson
George W. Cottrell
Carl L. Holm

1947

Edward A. LeBold

1946
William P. Horton
Clyde D. Platner
Faulkner A. Short

1945 Joseph H. Gill

1943 Paul G. Hafner

1942 Rodney Begg Harold E. Davis

1940 Leslie S. Porter

1938 Arthur M. Compton

1935 E.G. Chuinard

1931 Harry Leavitt

1929 D.G. Leavitt

1928 Leslie C. Mitchell

1925 John LeCocq

1924 Leo S. Lucas It is with great sadness that we said goodbye to John R. Tongue, M.D. R '74 on August 25, 2019 at the age of 73. Dr. Tongue passed away peacefully at his beloved Oswego Lake home with his devoted wife Nancy at his side. He was a renowned orthopedic surgeon and a great friend of the department. He served as a clinical associate professor of orthopedics and rehabilitation, OHSU School of Medicine, and past president of the School of Medicine Alumni Council.

Dr. Tongue's contributions to Oregon are profound and of lasting impact. I was extremely fortunate to have John as a mentor and a friend. His energy and passion to improve our profession and the lives of all Oregonians was boundless and inspirational. I learned a great deal from John about the power of political advocacy and physicians speaking as one voice to further important causes. John also brought great pride to the Oregon orthopedic community as he traveled the country and the globe in his many leadership roles. This was all the more a profile in courage as so much was accomplished while he persevered through eight years of sarcoma tumors. Always committed, he demonstrated his support and dedication to the work of the OHSU Alumni Council and speaking with students and alumni at events such as the white coat ceremony for first year medical students. John proudly served his community as a renowned orthopedic surgeon, a champion of public safety, and an enthusiast for the natural beauty of Oregon.

John Richard Tongue, a fourth-generation Oregonian, was born in Portland on March 1, 1946 to Justice Thomas H. Tongue III and Bernice Mary Healy Tongue. John was the second of three sons. He attended Ainsworth Grade School, and pedaled a hilly newspaper route through his West Hills neighborhood. After being given a copy of "Doctor Dan the Bandage Man" by his



pediatrician, Johnny decided he would be a doctor when he grew up. At age 14 he earned the rank of Eagle Scout, and graduated from Lincoln High School in 1964.

John majored in Political Science at Northwestern University in Evanston, Illinois, class of 1968, and remained a proud Wildcat for life. After graduating from Saint Louis University School of Medicine in 1972, John returned to Oregon for a surgical residency at OHSU. It was there that he fell in love with young nursing student Nancy Klein. They married March 20, 1976, and she joined him in San Francisco where he completed his orthopedic training. After two additional fellowships, John and Nancy together set up his office in the First Addition neighborhood of Lake Oswego. He later moved his practice to Tualatin and operated at Meridian Park hospital for 40 years.

John loved to ski, hike, camp, kayak, and canoe, but fly-fishing Oregon's rivers brought him

the greatest joy. He deeply valued community involvement and was a long-time member of Lake Oswego Rotary and Our Savior's Lutheran Church. He served as the volunteer football team doctor for Lake Oswego High School for 21 years and he and Nancy led the first ever phone-a-thon fundraiser for the school district. As a father, John delighted in his three children. He made it a priority to summit Mt. Hood with each of them and took every opportunity to encourage his children to value education, service to others, family and faith. As a leader in Boy Scout Troop 12, he instilled those same values in many young men and led them on adventures throughout the wilderness of the Pacific Northwest.



Working in the emergency room, Dr. Tongue saw firsthand the devastation caused by car crashes. As a teenager, a seat belt had saved his own life. John dedicated years to passing the Oregon Safety Belt Law, the

only law in the nation to be enacted by popular vote. In 1985 he was named Oregon Doctor Citizen of the Year. When he was knighted by the Royal Rosarians in 2008, it was said, "Sir Knight John R. Tongue has saved more lives of innocent Oregonians who will never know what he did for them than any other Oregonian." Dr. Tongue continued to volunteer in the cause of traffic safety by advocating over the years for lower speed limits, and developing the graduated licensing program for new drivers.

Dr. Tongue was a leader in his profession. He pioneered the effort to improve communication between doctors and patients in orthopedics. He served as president of the American Academy of Orthopaedic Surgeons (AAOS), the world's largest orthopedic education organization. John fulfilled his boyhood dream of traveling around the world as he and Nancy were invited to orthopedic meetings in Canada, England, Scotland, South Africa, New Zealand, Australia, China, Japan, and Costa Rica. John won countless awards for his work, including the 1991 Public Service Award from the National Highway Traffic Safety Association and the prestigious Humanitarian Award from the AAOS in 2003.

John is survived by his wife Nancy Klein Tongue and their three children: Christopher Tongue (Christina Tongue), Laura Los (Dr. Evan Los), and Lisa McQuiston (Jack McQuiston), as well as by his brothers Thomas Tongue (Dr. Andrea Tongue) and James Tongue, and cherished extended family. He was preceded in death by beloved nephew John Klein. "Shasha" was most heart-broken to leave his five adored grandchildren: Peter Los, Megan Los, Josephine Tongue, Andrew McQuiston, and Isaac Los.

John will remain in our prayers and in our gratitude for his life of service. Memorial donations can be made to the **Orthopaedic Research and Education Foundation** or the **Oswego Heritage Council**.

Robert Orfaly, MD



Pictured are, left to right: Dr. Robert Orfaly, Dr. John Tongue, Senator Jeff Merkley, Dr. Tim Keenan, and Dr. Susan Williams, at an AAOS National Orthopaedic Leadership Conference in Washington DC

Special Thanks

The editors and the entire Department of Orthopaedics and Rehabilitation at OHSU would like to thank the following individuals for their generous donations.

The Beals family continues their generosity to our department with contributions in the name of Dr. Rodney Beals, and in their estate plans as an eventual beneficiary. The history of our department and orthopaedics in the state of Oregon would not be the same without the significant contributions of Dr. Beals, and the Beals family contributions are vital to keeping Dr. Beals hopes for Oregon Orthopaedics alive.

\$10,000 - \$50,000

Medical Device Business Services, Inc AO Trauma North America Depuy Synthes USA HQ, Inc.

\$5,000 - \$10,000

Smith & Nephew, Inc. Dr. John S. Toohey

\$1,000 - \$5,000

American Medical Society for Sports Medicine, Inc. Dr. David L. Noell Orthopaedic Research & Education Foundation Dr. Ted J. Vigeland

Up to \$1,000

Mr. Kim B. Batcheller Dr. Edward B. Bynum Domont Family Foundation Dr. Clyde B. Kernek Dr. Richard A. Rubinstein, Jr. Mrs. Judith Swaggerty

In Addition

In addition, we sincerely thank the many contributors who wish to remain anonymous, as well as the past and present residents, faculty and staff who so kindly donate to our department.

Marie Kane, Technical Writer

The editors would like to thank Marie Kane for all of her support to make this journal a reality. This is especially true this year as getting everything put together took extra steps. She has been an invaluable asset to this journal and without her expertise and tireless work this journal would not be what it is today. For these reasons she deserves a round of applause and thanks.

Robin Sasaoka, Education Manager

A special thanks to our Education Manager, Robin Sasaoka. She is an invaluable resource for residents as they progress through OHSU. She is always available to assist with any questions or concerns in addition to her role of organizing resident education, schedules, vacations, and assisting with financial matters.

The goal of this publication is to grow and mature over the next several years. We would love any input from our alumni and local community on ways to improve the journal.

If you are an alumnus and your information has changed with regard to your current practice type and/or practice location, please contact us so that your information can be updated for next year's journal.

Department of Orthopaedics & Rehabilitation

OHSU Physicians Pavilion, Suite 430 3181 SW Sam Jackson Park Road Portland, OR 97239 Tel: 503 494-6400 • Fax: 503 494-5050 During these unique and trying times, it is important to take a moment to stop and reflect on what we are doing. The words of Marge Piercy, recommended by Dr. Jacqueline Brady, highlight the importance of hard work, determination and drive in moving us forward.

To be of use

By Marge Piercy

The people I love the best jump into work head first without dallying in the shallows and swim off with sure strokes almost out of sight. They seem to become natives of that element, the black sleek heads of seals bouncing like half-submerged balls.

I love people who harness themselves, an ox to a heavy cart, who pull like water buffalo, with massive patience, who strain in the mud and the muck to move things forward, who do what has to be done, again and again.

I want to be with people who submerge in the task, who go into the fields to harvest and work in a row and pass the bags along, who are not parlor generals and field deserters but move in a common rhythm when the food must come in or the fire be put out.

The work of the world is common as mud. Botched, it smears the hands, crumbles to dust. But the thing worth doing well done has a shape that satisfies, clean and evident. Greek amphoras for wine or oil, Hopi vases that held corn, are put in museums but you know they were made to be used. The pitcher cries for water to carry and a person for work that is real.

Please Consider Supporting the OHSU Department of Orthopaedics and Rehabilitation

You can make a significant impact on our ability to train the next generation of specialists, advance patient care, and develop new knowledge through research. We are building on a legacy of excellence that spans Richard Dillehunt, M.D., and Leo Lucas, M.D., to Lawrence Noall, M.D., and Rodney Beals, M.D., John Hayhurst, M.D., to our current department chair, Jung Yoo, M.D. Your personal gift is a vital part of this legacy and will help us advance the future of Orthopaedics.

Please make your gift to the Department of Orthopaedics and Rehabilitation by donating to one or more of the fund areas below. Each provides crucial and strategic resources for our educational, training and research missions.

Rodney K. Beals, M.D. Endowment for Faculty Excellence in Orthopaedics & Rehabilitation

Supports innovative and mission-focused work of exceptional faculty members. This fund honors Dr. Beals' legacy while enabling faculty to explore new horizons to advance the field of Orthopaedics.

Lawrence Noall, M.D. Fund for Excellence in Orthopaedic Resident Education

Supports resident education and training.

John and Susan Hayhurst Endowed Professorship and Distinguished Scholar

Supports faculty leadership in research and innovation and is OHSU's first-ever endowed faculty position in Orthopaedics. Holders of this prestigious appointment are provided with additional resources to propel new advancements in the field and may be appointed as either a Professor or Distinguished Scholar.

Orthopaedic Research Endowment

Provides essential support for basic science research in the field of Orthopaedics.

OHSU Department of Orthopaedics & Rehabilitation Support Fund

Making a gift to this fund is one of the best ways to advance the education, training and research missions of the department. It is often used to capitalize on unique opportunities and provide crucial bridge funding for innovative projects.

Please contact us if you to discuss these and other giving opportunities, or if you have (or plan to) include the OHSU Department of Orthopaedics and Rehabilitation in your estate plans.

Ways to Give

The OHSU Department of Orthopaedics and Rehabilitation gratefully accepts outright gifts or pledges, as well as deferred or planned gifts.

Outright gifts and pledges: You can make an outright gift of cash or certain other assets with the option of making your gift as a pledge over a period of up to five years.

Planned or deferred gifts: A gift made through your will or trust, retirement account or life insurance, is a great way to support OHSU Orthopaedics. OHSU Foundation can also assist with gifts of real estate, stocks, bonds, gifts-in-kind and other marketable assets.

www.ohsufoundation.org OHSU Foundation 1121 SW Salmon St., Suite 100 Portland, OR 97205 https://www.ohsu.edu/ortho/giving-opportunities

For further inquiries, please contact Tim Coffey, Senior Director of Development, OHSU Phone: (503) 901-6100, Email: coffeybike@gmail.com

Acumed Has the Most Complete Selection of Upper Extremity Fixation and Specialty Plates on the Market*

Clavicle Plating System with Acu-Sinch® Repair System

> Scapula Plating System

acumed

Acu-Loc® 2 Wrist Plating System

For more information: go.acumed.net/CompleteUE 888.627.9957

Elbow Plating

Forearm Fracture Solutions

Acutrak 2®

Headless Compression Screw

Hand Fracture System Polarus® 3 Solution

auuuuu

man